

NORTON

SAINT-GOBAIN

CATALOG #330

REFINISHING PRODUCTS FOR THE
**AUTOMOTIVE
AFTERMARKET**



Our Mission

We offer powerful, precise, user-friendly solutions for the automotive aftermarket. By working closely with end-users and distributing partners, we design and provide customized solutions to secure the best option for performance, cost and safety.

Our Expertise

Norton is the leading brand of Saint-Gobain Abrasives, with more than 135 years of experience in manufacturing abrasives.

We are committed to providing access to our experts' knowledge whenever you need it. Whether it is through our ongoing training programs, or through on-line expert articles, you can stay up-to-date with Norton where and when you need it.

Bring us your abrasive challenges, we have solutions!

Our Commitment

Take Norton for a Test Drive!

Norton is 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Norton products in your shop when it's convenient for you. Simply let your Norton salesperson know when you'd like to test Norton in your shop. Our Test Drive program allows the technicians to do their regular work, without interruption, using Norton products at no cost in "real world" conditions. You're the final judge of performance.

At the end of the day, the Norton salesperson will review the results, provide you with potential cost savings and convert the shop to Norton products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. If you'd like to take a test drive please email norton.automotive@saint-gobain.com

Our Connection

Norton Distributors can use the myAbrasive system for ordering all your products much easier, 24/7. Access order history, request quotes, make bulk orders, get detailed product information and more!

Phone: 877-447-5353























Email: myAbrasive.na@saint-gobain.com

Our Reach


Visit our website at www.nortonabrasives.com for a more comprehensive outline of products, safety and application information. We continually update it with our most current information.

Connect with us on social spaces:



| | | | | | | | | |
|---|---|----|--|-------------------------|----|--|-------------------------------------|----|
|  | SANDING BLAZE A995 | 4 |  | SURFACE CONDITIONING | 22 |  | MASKING TAPE | 44 |
|  | SANDING DRY ICE A975 | 5 |  | GRINDING DISCS | 25 |  | MASKING PRODUCTS | 46 |
|  | SANDING A275 ORIGINAL PERFORMANCE | 7 |  | FILE BELTS | 29 |  | ADHESIVES, SEALERS, AND COATINGS | 48 |
|  | SANDING GOLD RESERVE | 10 |  | CUTTING WHEELS | 31 |  | ACCESSORIES | 52 |
|  | SANDING BLUEFIRE | 12 |  | RETAIL MARKET | 32 |  | REVIVE BY RSG | 57 |
|  | SANDING BLACK ICE | 14 |  | TOOLS | 34 |  | FARÉCLA | 64 |
|  | DEFECT REMOVAL | 15 |  | SPEEDGRIP | 38 |  | FUSOR | 66 |
|  | SCUFFING SOLUTIONS | 20 | | | | | | |





Ultimate
strength

Continually
sharper edges




Maximum
dust extraction

- Ultra-premium ceramic grain boosts performance with extremely sharp edges
- All-new exclusive backing provides extraordinary strength with tear resistance
- Norton No-Fil water-based stearate coating ensures you get a superior finish
- Norton Blaze A995 removes over 30% more material with considerably less dust



Hook and Loop Non-Vacuum and Multi-Air Cyclonic



Norton Blaze A995 starts with the finest design essentials of ultra-premium ceramic grain, proprietary high-strength backing and prevailing anti-clog coating. Then, we add some serious muscle with our most-advanced vacuum science to deliver the ultimate powerhouse of paper discs.

| |  |  |  |
|----------|--|--|--|
| | 6" | 5" MULTI-AIR CYCLONIC | 6" MULTI-AIR CYCLONIC |
| GRIT | PART # | PART # | PART # |
| P400D | — | — | 636425 97517 |
| P320D | — | — | 636425 97516 |
| P220D | 636425 97514 | 636425 97504 | 636425 97509 |
| P180D | 636425 97513 | 636425 97503 | 636425 97508 |
| P150D | 636425 97512 | 636425 97502 | 636425 97507 |
| P120D | 636425 97511 | 636425 97501 | 636425 97506 |
| P80D | 636425 97510 | 636425 97500 | 636425 97505 |
| P40D* | — | — | 636425 97515* |
| P60 | — | — | 636425 97519 |
| Pkg/Case | 50/4 | 50/4 | 50/4 *25/4 (25 discs per pkg, 4 pkg per case) |



Hook and Loop Multi-Air Cyclonic Sheet Rolls

The innovative laser-converted rolls feature the same Cyclonic spiral hole-design found on the Multi-Air Cyclonic disc range which optimizes dust extraction while reducing surface imperfections. The new hole-design does not need to be lined up with the holes on the vacuum file boards or hand blocks to achieve optimal performance so changeover is fast and easy. In addition the rolls are perforated every 2-3/4" to allow it to be torn easily to fit multiple file board lengths.

| |  |  |
|----------|---|---|
| | 2-3/4" x 13 YD PERFORATED ROLL | 2-3/4" x 9 YD PERFORATED ROLL |
| GRIT | PART # | PART # |
| P400D | 776960 30001 | — |
| P320D | 776960 30000 | — |
| P220D | 699573 08903 | — |
| P180D | 699573 08902 | — |
| P150D | 699573 08901 | — |
| P120D | 699573 08900 | — |
| P80D | 699573 08899 | — |
| P40D | — | 699573 65500 |
| Pkg/Case | 1/4 | 1/4 |



SG
ceramic grain

Unique fiber-
reinforced latex/
paper backing







Superior cut on
scratch-resistant clears and
hard-to-sand primers

- Norton SG ceramic grain has a quicker/cooler cut with greater longevity and superior cut on scratch-resistant clears and hard-to-sand primers
- Unique fiber-reinforced latex/paper backing is flexible with increased durability for easy removal with maximum tear resistance
- Norton No-Fil water-based stearate improves load resistance and extends life

Multi-Air Cyclonic and Non-Vacuum Discs

Norton Dry Ice A975 hook and loop discs with Norton SG ceramic grain are ideal for hard-to-sand and self-healing clears. Norton Multi-Air Cyclonic discs provide maximum dust extraction. Norton Dry Ice A975 also works well on composite material, aluminum, and other difficult-to-sand surfaces.



| |  |  |  |  |  |  |
|----------|---|---|---|---|---|---|
| | 3" | 5" | 6" | 3" MULTI-AIR CYCLONIC | 5" MULTI-AIR CYCLONIC | 6" MULTI-AIR CYCLONIC |
| GRIT | PART # | PART # | PART # | PART # | PART # | PART # |
| P1500B | 636425 06002 | — | 636425 06377 | — | — | — |
| P1000B | — | — | 636425 06375 | 776960 95016 | 776960 07795 | 776960 07788 |
| P800B | — | 662544 80232 | 636425 06204 | 776960 95015 | 776960 07793 | 776960 07787 |
| P600B | — | 666233 05616 | 636425 06203 | 776960 95014 | 776960 07791 | 776960 07786 |
| P500B | — | 662544 80233 | 636425 06202 | 776960 95013 | 776960 07768 | 776960 07785 |
| P400B | — | 662611 49537 | 662611 49542 | 776960 95012 | 776960 07765 | 776960 07784 |
| P320B | — | 662611 49538 | 662611 49543 | 776960 95011 | 776960 07763 | 776960 07781 |
| P280B | — | — | — | — | — | 776960 07778 |
| P240B | — | 662611 49540 | 662611 49545 | 776960 95010 | — | 776960 07777 |
| P220B | — | 662611 49541 | 662611 49546 | 776960 95009 | 776960 07757 | 776960 07776 |
| P180B | — | 662611 40518 | 662611 40528 | 776960 95008 | 776960 07756 | 776960 07775 |
| P150B | — | 662611 40519 | 662611 40529 | 776960 95007 | 776960 07755 | 776960 07774 |
| P120C | — | 662611 40520 | 662611 40530 | 776960 95006 | 776960 07753 | 776960 07773 |
| P100C | — | 662611 40521 | 662611 40531 | — | — | — |
| P80C | — | 662611 40522 | 662611 40532 | 776960 95005 | 776960 07745 | 776960 07770 |
| Pkg/Case | 50/4 | 50/4 | 50/4 | 50/4 | 50/4 | 50/4 |

Dry Ice A975 Ceramic



PSA Disc Rolls

Norton Dry Ice A975 PSA (pressure sensitive adhesive) link disc rolls with patented Norton SG ceramic grain are the perfect solution for hard-to-sand and self-healing clears. Norton Dry Ice A975 also works well on composite material, aluminum, and other difficult-to-sand surfaces.



Hook and Loop Sheet Rolls

Norton Multi-Air Cyclonic and Dry Ice A975 continuous rolls minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times. The new hole-design does not need to be lined up with the holes on vacuum file boards or hand blocks to achieve optimal performance.



PSA Sheet Rolls

Stick & Sand sheet rolls are PSA- backed, so you can peel them off easily and stick them on at any length, quickly.

| | 5" | 6" |
|----------|---------------------|---------------------|
| GRIT | PART # | PART # |
| P800B | — | 636425 06200 |
| P600B | — | 636425 06199 |
| P500B | — | 636425 06198 |
| P400B | — | 662611 55373 |
| P320B | — | 662611 55374 |
| P240B | — | 662611 55376 |
| P220B | 662611 42474 | 662611 48340 |
| P180B | 662611 40498 | 662611 40508 |
| P150B | — | 662611 40509 |
| P120C | — | 662611 40510 |
| P100C | — | 662611 40511 |
| P80C | 662611 40502 | 662611 40512 |
| Pkg/Case | 100/4 | 100/4 |

| | 2-3/4" x 13 YDS | 2-3/4" x 13 YDS MULTI-AIR CYCLONIC | 4-1/2" x 13 YDS MULTI-AIR CYCLONIC |
|----------|---------------------|---------------------------------------|---------------------------------------|
| GRIT | PART # | PART # | |
| P600B | 666233 29548 | 636425 06124 | — |
| P500B | 666233 29547 | 636425 06123 | — |
| P400B | 666233 29518 | 636425 06122 | 662611 56071 |
| P320B | 636425 06255 | 636425 06121 | 662611 56070 |
| P240B | — | 636425 06120 | — |
| P220B | 636425 06256 | 636425 06119 | 636425 04663 |
| P180B | 636425 06257 | 636425 06118 | 662611 56067 |
| P150B | — | 636425 06117 | 662611 56066 |
| P120C | 636425 06259 | 636425 06114 | 662611 56065 |
| P80C | 636425 06261 | 636425 06113 | 662611 56064 |
| Pkg/Case | 1/4 | 1/4 | 1/4 |

| | 2-3/4" x 45 YDS | 2-3/4" x 30 YDS | 2-3/4" x 25 YDS |
|----------|---------------------|---------------------|---------------------|
| GRIT | PART # | PART # | PART # |
| P400B | 662611 49557 | — | — |
| P320B | 662611 49558 | — | — |
| P220B | 662611 49561 | — | — |
| P180B | 662611 49562 | — | — |
| P150B | 662611 49563 | — | — |
| P120C | — | 662611 49564 | — |
| P80C | — | — | 662611 49566 |
| Pkg/Case | 1/5 | 1/5 | 1/5 |

A275OP Aluminum Oxide



Premium heat-treated grain

B-weight fiber reinforced latex/paper backing

Anti-loading

- Premium heat-treated Aluminum Oxide grain has 30% – 50% faster cut rate and extends life
- Premium B-weight latex fiber reinforced paper backing is more flexible, tear resistant and allows for easy disc removal
- Superior bond system optimizes grain adhesion and extends cut life
- Norton No-Fil water-based stearate improves load resistance

Vacuum and Multi-Air Cyclonic Discs

Hook and loop fastening system provides cooler cutting action and a finer finish.



| GRIT |
|----------|
| P1500B |
| P1000B |
| P800B |
| P600B |
| P500B |
| P400B |
| P320B |
| P240B |
| P220B |
| P180B |
| P150B |
| P120B |
| P100B |
| P80B |
| Pkg/Case |



6" VACUUM
PART #

| |
|---------------------|
| 662611 31584 |
| 662611 31586 |
| 662611 31587 |
| 662611 31588 |
| — |
| 662611 31590 |
| 662611 31592 |
| 662611 31594 |
| 662611 31595 |
| 662611 31596 |
| 662611 31597 |
| 662611 31598 |
| 662611 31599 |
| 662611 31600 |
| 100/4 |



6" MULTI-AIR CYCLONIC
PART #

| |
|---------------------|
| — |
| 666233 90514 |
| 666233 90513 |
| 666233 90512 |
| 666233 90511 |
| 666233 90510 |
| 666233 90509 |
| — |
| 666233 90507 |
| 666233 90506 |
| 666233 90505 |
| 666233 90504 |
| — |
| 666233 90503 |
| 100/4 |

Multi-Air Cyclonic Sheet Rolls

The innovative laser-converted rolls feature the same Cyclonic spiral hole-design found on the Multi-Air Cyclonic disc range which optimizes dust extraction while reducing surface imperfections. The new hole-design does not need to be lined up with the holes on the vacuum file boards or hand blocks to achieve optimal performance so changeover is fast and easy. In addition the rolls are perforated every 2-3/4" to allow it to be torn easily to fit multiple file board lengths.



| GRIT |
|----------|
| P400B |
| P320B |
| P220B |
| P180B |
| P150B |
| P120B |
| P80B |
| Pkg/Case |



2-3/4" x 13YDS PERFORATED ROLL
PART #





| |
|---------------------|
| 666233 90517 |
| 666233 90518 |
| 666233 90519 |
| 666233 90520 |
| 666233 90521 |
| 666233 90522 |
| 666233 90523 |
| 1/4 |

A275OP Aluminum Oxide

Non-Vacuum Discs

Hook and loop fastening system provides cooler cutting action and a finer finish.









| |  |  |  |  |
|----------|---|---|---|---|
| | 3" | 5" | 6" | 8" |
| GRIT | PART # | PART # | PART # | PART # |
| P1500B | 662611 47434 | 662611 31533 | 662611 31550 | — |
| P1200B | — | 662611 31534 | 662611 31551 | — |
| P1000B | 662611 35900 | 662611 31535 | 662611 31552 | — |
| P800B | 662611 31519 | 662611 31536 | 662611 31553 | — |
| P600B | 662611 36996 | 662611 31537 | 662611 31554 | — |
| P500B | 662611 31521 | 662611 31538 | 662611 31555 | — |
| P400B | 662611 36995 | 662611 31539 | 662611 31556 | — |
| P320B | 662611 31524 | 662611 31541 | 662611 31558 | — |
| P280B | — | — | 662611 31559 | — |
| P240B | 662611 31526 | 662611 31543 | 662611 31560 | — |
| P220B | 662611 31527 | 662611 31544 | 662611 31561 | — |
| P180B | 662611 31528 | 662611 31545 | 662611 31562 | 662611 31661 |
| P150B | 662611 40385 | 662611 31546 | 662611 31563 | — |
| P120B | 662611 28688 | 662611 31547 | 662611 31564 | 662611 31662 |
| P100B | — | 662611 31548 | 662611 31565 | 662611 31663 |
| P80B | 662611 31532 | 662611 31549 | 662611 31566 | 662611 31664 NS |
| Pkg/Case | 50/4 | 100/4 | 100/4 | 100/4 |

NS = Non-stock. Please contact Customer Service for lead-time.

PSA Discs

Can be used dry on all automotive finishes to save time and money and increase productivity.




| |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|
| | 6" TAB DISC | 5" DISC ROLL | 6" DISC ROLL | 8" DISC ROLL | 5" VAC DISC ROLL | 6" VAC DISC ROLL |
| GRIT | PART # | PART # | PART # | PART # | PART # | PART # |
| P1500B | 662611 31465 | — | — | — | — | — |
| P1200B | 662611 31466 | — | — | — | — | — |
| P1000B | 662611 31467 | — | — | — | — | — |
| P800B | — | 662611 31451 | 662611 31468 | — | — | — |
| P600B | — | 662611 31452 | 662611 31469 | — | — | — |
| P500B | — | 662611 31453 | 662611 31470 | — | — | — |
| P400B | — | 662611 31454 | 662611 31471 | — | — | — |
| P320B | — | 662611 31456 | 662611 31473 | 662611 31609 | — | 662611 31507 |
| P280B | — | 662611 31457 | 662611 31474 | — | — | — |
| P240B | — | 662611 31458 | 662611 31475 | — | — | — |
| P220B | — | 662611 31459 | 662611 31476 | 662611 31612 | — | — |
| P180B | — | 662611 31460 | 662611 31477 | 662611 31613 | 662611 31494 | 662611 31511 |
| P150B | — | 662611 31461 | 662611 31478 | 662611 31614 | — | — |
| P120B | — | 662611 31462 | 662611 31479 | 662611 31615 | — | — |
| P100B | — | 662611 31463 | 662611 31480 | — | — | — |
| P80B | — | 662611 31464 | 662611 31481 | 662611 31617 | — | 662611 31515 |
| Pkg/Case | 100/4 | 100/6 | 100/6 | 100/4 | 100/6 | 100/6 |


A275OP Aluminum Oxide

PSA Sheet Rolls


Stick & Sand sheet rolls are PSA-backed, so you can peel them off easily and stick them to hand sanding blocks, file shoes, or file boards quickly.



2-3/4" x 45 YDS



2-3/4" x 30 YDS




2-3/4" x 25 YDS

| GRIT | PART # | PART # | PART # |
|----------|---------------------|---------------------|---------------------|
| P600B | 662611 31679 | — | — |
| P400B | 662611 31681 | — | — |
| P320B | 662611 31683 | — | — |
| P240B | 662611 31685 | — | — |
| P220B | 662611 31686 | — | — |
| P180B | 662611 31687 | — | — |
| P150B | 662611 31688 | — | — |
| P120B | — | 662611 31689 | — |
| P100B | — | 662611 31690 | — |
| P80B | — | — | 662611 31691 |
| Pkg/Case | 1/5 | 1/5 | 1/5 |

Body File Sheets

These body file sheets are a popular choice for dry sanding paint, primer, and primer surfacer; also for deburring, removing sand scratches, shaping and finishing plastic filler, and feather-edging repaired areas.



CLIP-ON
2-3/4" x 17-1/2"

PSA
2-3/4" x 16-1/2"

HOOK & LOOP
2-3/4" x 16-1/2"

| GRIT | PART # | PART # | PART # |
|----------|---------------------|---------------------|---------------------|
| P400B | — | — | 662611 33296 |
| P320B | — | — | 662611 52692 |
| P220B | 662611 31647 | 662611 31635 | 662611 31641 |
| P180B | 662611 31648 | 662611 31636 | 662611 31642 |
| P150B | 662611 31649 | 662611 31637 | 662611 31643 |
| P120B | 662611 31650 | 662611 31638 | 662611 31644 |
| P100B | 662611 31651 | 662611 31639 | 662611 31645 |
| P80B | 662611 31652 | 662611 31640 | 662611 31646 |
| Pkg/Case | 50/10 | 50/10 | 50/10 |

9" x 11" Sheets

For dry sanding old paint, primer, primer surfacer, and between-color coats; also for deburring, removing sand scratches, shaping and finishing plastic filler, and feather-edging repaired areas. Norton No-Fil water-based stearate coating prevents premature loading.



9" x 11"

| GRIT | PART # |
|-----------|---------------------|
| P1500B | 662611 31618 |
| P1200B | 662611 31619 |
| P1000B | 662611 31620 |
| P800B | 662611 31621 |
| P600B | 662611 31622 |
| P500B | 662611 31623 |
| P400B | 662611 31624 |
| P320B | 662611 31626 |
| P280B | 662611 31627 |
| P240B | 662611 31628 |
| P220B | 662611 31629 |
| P180B | 662611 31630 |
| P150B | 662611 31631 |
| P120B | 662611 31632 |
| P100B | 662611 31633 |
| P80B | 662611 31634 |
| Pkg/Case | 100/5 |
| *Pkg/Case | 50/5 |

Gold Reserve A296 Aluminum Oxide









Aluminum oxide grain | Strong paper backing | Anti-loading

- "P" graded premium A/O grain produces a quick, cool cut with a more consistent scratch pattern
- Strong paper backing is conformable, flexible, and resists tearing and loading
- Norton No-Fil water-based stearate increases productivity

PSA Discs, Disc Rolls and Hook & Loop Discs


Norton Gold Reserve is a versatile abrasive product that cuts fast, lasts long, and resists loading.



| |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|
| | 6" PSA TAB DISC | 5" PSA DISC ROLL | 6" PSA DISC ROLL | 6" PSA DISC ROLL | 6" HOOK & LOOP | 6" VAC HOOK & LOOP |
| GRIT | PART # | PART # | PART # | PART # | PART # | PART # |
| P1000C | 780727 12633 | — | — | — | 699573 50990 | — |
| P800C | 780727 53469 | — | 636425 06164 | — | 636425 06226 | 666233 34797 |
| P600C | 780727 53546 | — | 662610 40261 | — | 636425 06227 | 666233 34796 |
| P500C | — | — | 636425 06165 | — | 636425 06228 | — |
| P400C | 662611 83832 | 662611 83814 | 662611 83823 | 636425 06176 | 636425 06229 | 666233 34794 |
| P320C | 662611 83831 | 662611 83813 | 662611 83822 | 636425 06177 | 636425 06230 | 666233 34793 |
| P240C | 662611 83830 | — | 662611 83821 | — | 636425 06225 | — |
| P220C | 662611 83829 | 662611 83811 | 662611 83820 | 636425 06178 | 636425 06231 | 666233 34791 |
| P180C | 662611 83828 | 662611 83810 | 662611 83819 | 636425 06179 | 636425 06232 | 666233 34790 |
| P150C | 662611 83827 | 662611 83809 | 662611 83818 | — | 636425 06233 | — |
| P120C | 662611 83826 | 662611 83808 | 662611 83817 | — | 636425 06234 | 666233 34788 |
| P100C | 662611 83825 | 662611 83807 | 662611 83816 | — | 636425 06235 | 666233 34787 |
| P80C | 662611 83824 | 662611 83806 | 662611 83815 | 636425 06182 | 636425 06236 | 666233 34786 |
| P60C | — | — | 780727 48553 | — | — | — |
| Pkg/Case | 100/4 | 100/4 | 100/4 | 25/6 | 50/4 | 50/4 |

PSA Sheet Rolls

Stick & Sand sheet rolls are PSA-backed, so you can peel them off easily and stick them to hand sanding blocks, file shoes, or file boards quickly.








2-3/4" x 25 YDS

| GRIT | PART # |
|----------|---------------------|
| P400C | 636425 06147 |
| P320C | 636425 06148 |
| P220C | 636425 06149 |
| P180C | 636425 06150 |
| P150C | 636425 06151 |
| P120C | 636425 06152 |
| P80C | 636425 06153 |
| Pkg/Case | 1/5 |

PSA and Hook and Loop Discs

Norton Gold Reserve tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.





| |  |  |  |  |  |
|----------|---|---|--|---|---|
| | 6" PSA | 8" PSA | 6" HOOK & LOOP | 8" HOOK & LOOP | 6" VAC HOOK & LOOP |
| GRIT | PART # | PART # | PART # | PART # | PART # |
| P80E | 636425 06217 | 636425 06220 | 666233 34800 | 666233 34802 | — |
| P40E | 636425 06216 | 636425 06219 | 666233 34801 | 666233 34803 | 666233 34785 |
| P36E | 636425 06215 | 636425 06218 | — | — | — |
| Pkg/Case | 25/5 | 25/5 | 25/4 | 25/4 | 25/5 |

Body File Sheets

Norton Gold Reserve body file sheets are perfect for sanding body filler without loading.



| |  |  |
|----------|---|---|
| | PSA 2-3/4" x 16-1/2" | HOOK & LOOP 2-3/4" x 16-1/2" |
| GRIT | PART # | PART # |
| P220C | — | 636425 06242 |
| P180C | — | 636425 06241 |
| P150C | — | 636425 06240 |
| P120C | — | 636425 06239 |
| P100C | — | 636425 06238 |
| P80C | — | 636425 06237 |
| P80E | 636425 06196 | 666233 34804 |
| P40E | 636425 06195 | 666233 34805 |
| P36E | 636425 06194 | — |
| Pkg/Case | 25/5 | 25/5 |





Premium
heat-treated grain

E-weight fiber reinforced
latex/paper backing

Anti-loading

- High-strength blue latex/paper backing improves performance and flexibility and reduces curling and edge chipping
- Zirconia alumina grain is self-sharpening, minimizes heat and improves cut rate
- Superior bond system optimizes grain adhesion for extended product life



Hook and Loop Multi-Air Discs

Norton BlueFire hook and loop discs last long and cut quickly, using premium zirconia grain which microfractures to remain sharp and fast cutting. Revolutionary design for maximum vacuum assist virtually eliminates clogging for a cleaner work environment with less dust and contamination.



GRIT
80E
Pkg/Case



6" MULTI-AIR
PART #
662611**81412**
50/4



Hook and Loop Discs

Norton BlueFire hook and loop discs last long and cut quickly, using premium zirconia grain which microfractures to remain sharp and fast cutting.



5"



6"



8"



8" VAC

| GRIT | PART # | PART # | PART # | PART # |
|-----------------|---------------------|---------------------|---------------------|---------------------|
| 80E | 662611 25444 | 662611 23588 | 662611 23591 | 662611 23596 |
| 40E | 662611 25684 | 662611 23589 | 662611 23592 | — |
| 36E | — | 662611 23590 | 662611 23593 | 662611 23598 |
| <i>Pkg/Case</i> | <i>25/4</i> | <i>25/4</i> | <i>25/4</i> | <i>25/4</i> |

PSA Discs

Norton BlueFire PSA discs are ideal for sanding body filler. NorZon grain micro-fractures to improve cut rate, minimize loading, and reduce heat.



5"



6"




8"





| GRIT | PART # | PART # | PART # |
|-----------------|---------------------|---------------------|---------------------|
| 80E | 662611 25244 | 662611 23573 | 662611 23576 |
| 40E | 662611 25307 | 662611 23574 | 662611 23577 |
| 36E | 662611 25436 | 662611 23575 | 662611 23578 |
| <i>Pkg/Case</i> | <i>50/4</i> | <i>50/4</i> | <i>25/4</i> |

BlueFire H875 Zirconia

Hook & Loop, PSA, and Clip-on Body File Sheets

Norton BlueFire Body File Sheets come in three different types: Clip-On, PSA, and Hook and Loop. Self-sharpening NorZon grain improves cut rate, minimizes loading, and reduces heat. Tough E-weight latex reinforced paper backing resists tearing. Norton BlueFire is ideal for sanding body filler.



| |  |  |  |  |
|----------|---|--|---|---|
| | CLIP-ON 2-3/4" x 17-1/2" | PSA 2-3/4" x 16-1/2" | HOOK & LOOP 2-3/4" x 16-1/2" | HOOK & LOOP 2-3/4" x 16" VAC |
| GRIT | PART # | PART # | PART # | PART # |
| 180E | 662611 26511 | — | — | — |
| 100E | 662611 26512 | 662611 25595* | — | — |
| 80E | 662611 23620 | 662611 23608 | 662611 23614 | 662611 23617 |
| 40E | 662611 23621 | 662611 23609 | 662611 23615 | 662611 23618 |
| 36E | 662611 23622 | 662611 23610 | 662611 23616 | 662611 23619* |
| Pkg/Case | 50/5 | 50/5 | 25/5 | 25/5 |

*Pkg/Case

* Non-Stock Item



Black Ice T401 Silicon Carbide



Premium
abrasive grain

Flexible, specially-
treated backing




Consistent finish is
easy to buff

- Specially treated waterproof paper does not require soaking, is curl resistant and will not deteriorate
- Premium abrasive grain lasts long and cuts fast
- Ultra flexible backing resists cracking, tearing and wrinkles
- Advanced coating process for a consistent scratch pattern that buffs out faster

Sheets and Discs

Norton Black Ice works great wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just a spritz of water is all that's needed. Or, if you like to soak your paper, go ahead because Norton Black Ice has curl resistance built right in so it stays flat and will not deteriorate, no matter how long you leave it in water.



| |  3" HOOK & LOOP DISC |  5-1/2" x 9" |  9" x 11" |
|----------|---|---|--|
| GRIT | PART # | PART # | PART # |
| 2500B | 662611 47432 | 662611 39369 | 662611 39377 |
| 2000B | 662611 47433 | 662611 39370 | 662611 39378 |
| 1500B | — | 662611 39371 | 662611 39379 |
| 1200B | — | 662611 39372 | 662611 39380 |
| 1000B | — | 662611 39373 | 662611 39381 |
| P800B | — | 662611 39374 | 662611 39382 |
| P600B | — | 662611 39375 | 662611 39383 |
| P500B | — | — | 662611 39384 |
| P400B | — | — | 662611 39385 |
| P320B | — | — | 662611 39386 |
| P240B | — | — | 662611 39388 |
| P220B | — | — | 662611 39389 |
| Pkg/Case | 50/4 | 50/5 | 50/5 |





Defect removal

Anti-loading coating


Smooth film backing

- Durable yet flexible film backing conforms better to surfaces and contours, preventing over sanding" or "burn through"
- Anti-loading stearate for optimum performance and long life
- Consistent scratch pattern and even finish
- Can be used both wet and dry
- Grits are color coded for easy identification

Hook & Loop SuperFlexible Film Discs

Norton SuperFlexible Film Discs are best used when:

- Denibbing (1500/2000)
- Blending
- Paint prep
- Paint Finishing



| GRIT | COLOR | 3" | 6" |
|----------|------------|---------------------|---------------------|
| 3000 | Meteorite | 666233 90564 | 666233 90559 |
| 2500 | Aquamarine | 666233 90563 | 666233 90558 |
| 2000 | Jade | 666233 90562 | 666233 90557 |
| 1500 | Rose | 666233 90561 | 666233 90556 |
| Pkg/Case | | 25/100 | 25/100 |

Hook & Loop SuperFlexible Film Sheets

Norton SuperFlexible Film Cut Sheets are best used when:

- Denibbing (1200/1500)
- Blending
- Paint prep
- Bumper scuffing
- Primer blocking and scuffing
- Sanding edge panels
- Light scuffing on base coat
- Sanding primer surfacer
- Sanding door jambs




| GRIT | COLOR | 6-11/16" x 5-1/8" - PERFORATED |
|----------|-----------|--------------------------------|
| 1500 | Rose | 666233 90555 |
| 1200 | Amber | 666233 90554 |
| 800 | Citrine | 666233 90552 |
| 600 | Turquoise | 666233 90551 |
| 400 | Sapphire | 666233 90550 |
| Pkg/Case | | 25/100 |

Sanding Pads for SuperFlexible Film

The pads are made using very soft foam, specifically for hook and loop sheets and discs. The sanding pad's structure minimizes aggressive scratches and reduces peeling, reducing the need to change the backing pad frequently.



| GRIT | SOFT | RIGID/SOFT |
|-------------|---------------------|---------------------|
| | PART # | PART # |
| Sanding Pad | 780727 42353 | 780727 42355 |
| Pkg/Case | 8/1 | 4/1 |





Defect removal | Premium aluminum oxide grain | Smooth film backing

- Smooth film backing for a consistent finish that buffs out easily and quickly
- Premium aluminum oxide grain cuts fast and lasts longer
- Anti-loading agent produces a uniform finish that buffs out faster and eliminates pigtails and costly re-work



Pure Ice Q175 Hook & Loop Fine Grit Film Finishing Discs

Norton Pure Ice Q175 discs have color-coded backprint by grit size and a 3 mil polyester film backing for better flexibility and flatness of discs. The hook and loop attachment allows for easy mounting and removal on a DA or pad.

| GRIT | COLOR |  3"  6" | |
|---------------|-------|---|---------------------|
| | | PART # | PART # |
| P1500 | Blue | 776960 88704 | 776960 88716 |
| P1200 | Green | 776960 88703 | 776960 88715 |
| P1000 | Red | 776960 88702 | 776960 88714 |
| P800 | Black | 776960 88701 | 776960 88713 |
| Interface Pad | — | 636345 05457 | 636345 42089 |
| Pkg/Case | | 50/4 | 50/4 |





Scratch refinement

Foam backing

Bufs out easily

- Integrated foam backing is conformable to contours and eliminates pigtailed and costly re-work
- Open mesh design for a uniform scratch pattern and allowing equal pressure distribution for quicker sanding
- Produces a semi-polished finish that is quick and easy to buff out


Foam Finishing Discs

Norton Ice foam finishing discs, used damp, will produce a semi-polished surface which greatly reduces buffing time.



| GRIT | COLOR | 3" | | 6" | |
|-------------|---------|---------------------|---------------------|---------------------|---------------------|
| | | 3" | 6" | 3" BACK-UP PAD | 6" BACK-UP PAD |
| GRIT | COLOR | PART # | PART # | PART # | PART # |
| 3000 | Green | 636425 06020 | 636425 06013 | — | — |
| 2000 | Magenta | 636425 06021 | 636425 06014 | — | — |
| 1500 | Blue | 636425 06022 | 636425 06015 | — | — |
| Back-up Pad | — | — | — | 636425 06128 | 636425 06130 |
| Pkg/Case | — | 6/4 | 15/4 | 10/1 | 5/1 |





Water soluble

Easy clean up

No cross contamination

- Water-based formula is VOC compliant and very easy to clean up
- 1 polish, 3 pads is a simple system in which the polish matches the cut of the pad for optimal performance that reduces inventory
- Premium micro-fine abrasives remove swirl marks, haze, and sand scratches quickly



Extra-Cut

Water soluble Norton Liquid Ice Extra-Cut is easy to use and easy to clean up. Norton Liquid Ice Extra-Cut is engineered to be used with a selection of 3 pads, depending on the finish required.

| DESCRIPTION | PART # | PKG/CASE |
|-------------|---------------------|----------|
| Quart | 636425 97116 | 1/4 |



Clean-Up/ Detailer Spray

The spray detailer easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with a Blue Magnet microfiber cloth.

| DESCRIPTION | PART # | PKG/CASE |
|------------------------------|---------------------|----------|
| 32 oz. Spray Bottle | 636425 42082 | 1/4 |
| Blue Magnet Microfiber Cloth | 636425 04402 | 5/4 |





8" Buffing/Polishing Waffle Pads

These pads can be used with Norton Liquid Ice Extra-Cut following the step numbers.

| DESCRIPTION | PART # | PKG/CASE |
|--------------------------------------|---------------------|----------|
| 8" Hook & Loop Back-up Pad (5/8"-11) | 636425 42080 | 1/3 |
| 8" Orange Waffle – Step 1 | 636425 06379 | 1/6 |
| 8" Blue Waffle – Step 2 | 636425 06380 | 1/6 |
| 8" White Waffle – Step 3 | 636425 06381 | 1/6 |



8" Buffing/Polishing Pads

These pads can be used with Norton Liquid Ice Extra-Cut following the step numbers.

| DESCRIPTION | PART # | PKG/CASE |
|--------------------------------------|---------------------|----------|
| 8" Hook & Loop Back-up Pad (5/8"-11) | 636425 42080 | 1/3 |
| 8" Super Cut Wool Pad – Step 1 | 636425 42077 | 1/6 |
| 8" Blue Cutting Foam Pad – Step 2 | 636425 42078 | 1/6 |
| 8" White Finishing Foam Pad – Step 3 | 636425 42079 | 1/6 |



3" Buffing/Polishing Pads

For small spot repair areas.

| DESCRIPTION | PART # | PKG/CASE |
|--|---------------------|----------|
| 3" Hook & Loop Back-up Pad (5/16"-24") | 636425 06128 | 10/1 |
| 3" Super Cut Wool Pad – Step 1 | 636425 43832 | 10/4 |
| 3" Blue Cutting Foam Pad – Step 2 | 636425 05459 | 10/4 |
| 3" White Finishing Foam Pad – Step 3 | 636425 05460 | 10/4 |



Non-Woven Pads, Discs, and Rolls



Consistent cut and uniform scratch pattern

Perforated

Strong, yet flexible

- Advanced resin formulation evenly coats the fibers allowing for a more consistent cut, added strength, and resists tearing
- Consistent grain sizing produces a uniform scratch pattern with no wild scratches
- Even grain distribution throughout thickness for a consistent cut for full use of scuff pad and longer life
- Perforated for quick, easy pad re-sizing without jagged edge

Maroon (320/400)

- Quick and aggressive cut
- Tear-resistant

Gray (800/1000)

- Works with or without Scuff Gel
- Quick cut, uniform finish
- Incredibly flexible yet tear-resistant

Gold (1000/1200)

- Ideal for pearls and metallics
- Works with or without Scuff Gel

White (non-abrasive)

- Use for surface cleaning and detailing
- Ideal for all materials and surface

Scuff Pads and Perforated Rolls


Norton Bear-Tex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Rolls are perforated every 3" and are packaged in a protective plastic wrap for easy dispensing.



6" x 9" PAD



6" x 9" PAD



4" x 30" ROLL

| DESCRIPTION | COLOR | PART # | PART # | PART # |
|------------------|--------|---------------------|---------------------|---------------------|
| Primer Prep | Maroon | 662610 58000 | — | 636425 03009 |
| Color Prep | Gray | 662610 58002 | — | 636425 02999 |
| Clear Blend Prep | Gold | — | 662610 58005 | — |
| Non-Abrasive | White | 662610 58001 | — | — |
| Pkg/Case | | 20/3 | 10/3 | 1/1 |

Thin-Flex Pads, Rolls, and Discs


Norton Thin-Flex is a very flexible, yet strong product for use on contoured surfaces and for getting into tight spaces. It can be used for fine finishing and surface preparation. Rolls are perforated every 3".



4-1/2" x 9" PAD



6" DISC



4" x 30" ROLL BOXED

| DESCRIPTION | COLOR | PART # | PART # | PART # |
|------------------|--------|----------------------|----------------------|---------------------|
| Primer Prep | Maroon | 636425 06166 | 666233 34770 | 776960 75500 |
| Color Prep | Gray | 636425 06167 | 666233 34771 | 776960 75502 |
| Clear Blend Prep | Gold | 662611 13519* | 662611 13517* | — |
| Non-Abrasive | White | — | 776960 98087* | — |
| Pkg/Case | | 25/4 | 25/4 | 1/3 |
| Pkg/Case | | *10/10 | *10/4 *10/1 | |

Scuff Gel

Formulated for consistent abrasion for paint adhesion. Use with Norton Bear-Tex gray or gold pads or discs. Cleans, de-greases and abrades in one step. Rinses off easily and completely. Water-based formula; low in VOC.



| DESCRIPTION | SIZE | PART # |
|-------------|----------------------|---------------------|
| Scuff Gel | 24.7 oz. - 700 grams | 076607 05376 |
| Pkg/Case | | 1/6 |



Uniform finish | Can be used moist or dry | Conformable foam backing


- Norton A275 on foam backing cuts fast and is long-lasting without leaving finger marks when hand sanding primer
- Water resistant properties allow for the foam pads to be used moist
- Creates a uniform finish minimizing "difficult to cover" sand scratches that prove challenging for water-based paints

| GRIT | APPLICATION |
|-------------|---|
| P320, P400 | Feather-edge, scuff primer, scuff new parts before painting |
| P500, P600 | Prepare panel for base coat |
| P800, P1000 | Sand clear coat, remove minor defects |



Rotolo Foam

Norton Rotolo Foam pre-cut sheets, conveniently packaged in a roll form, are ideal for fine sanding on round edges, contours, and curves, providing an outstanding finish on primers and top coats. Perforated every 5-1/2".



4-1/2" x 82"

| GRIT | PART # |
|----------|---------------------|
| P320 | 666233 57606 |
| P400 | 666233 57608 |
| P500 | 666233 57611 |
| P600 | 666233 57612 |
| P800 | 666233 57613 |
| P1000 | 666233 57616 |
| Pkg/Case | 1/2 |



Highly conformable | Durable and reusable

- Abrasive grain coated on a sponge backing allows for wet or dry sanding without leaving finger marks
- Grit is printed on the sponge for easy identification
- Highly conformable allowing for sanding on bumpers, jambs, and small parts as well as a perfect solution for contours and edges

| GRIT DESIGNATION | FINISH GENERATED | APPLICATION |
|------------------|------------------|---|
| Medium | P180/P120 | Scuff, shaping filler |
| Fine | P400/P320 | Feather-edge, scuffing primer, scuffing new parts before painting |
| Super Fine | P600/P500 | Preparing panel for base coat |
| Ultra Fine | P1000/P800 | Sanding base coat, removing clear coat defects |
| Micro Fine | P1500/P1200 | Clear coat sanding, removing minor defects |



SoftTouch Sponges

The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is the finish achieved when sanding wet.



4-1/2" x 5-1/2" x 3/16"

| DESCRIPTION | PART # |
|-------------|---------------------|
| Medium | 076607 03074 |
| Fine | 076607 03075 |
| Super Fine | 076607 03076 |
| Ultra Fine | 076607 03077 |
| Micro Fine | 076607 03078 |
| Pkg/Case | 20/4 |



Extra-coarse
ceramic alumina grain

Tough synthetic fibers

Aggressive cut

- Open web construction resists loading
- Synthetic web impregnated with abrasive will not rust
- Thick and durable extending the product life
- Effective on sharp, jagged surfaces and a great alternative to wire brushes

Blaze Rapid Strip TR+ Disc

Removes rust and paint from door jambs, seams, and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.



| DESCRIPTION | RPM | BACK-UP PAD PART # | 4" TR+ PART # |
|-------------------|-------|-----------------------|---------------------|
| Blaze Rapid Strip | 8,000 | — | 666233 31054 |
| Back-up Pad | — | 636425 55106 | — |
| Pkg/Case | | 1/1 | 5/1 |

Blaze Rapid Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust-free alternative to a wire brush. Mandrel assembly will adapt discs for use on portable tools. The assembly consists of a mandrel, nut and two washers.



| DESCRIPTION | RPM | MANDREL PART # | 4" x 1/4" HOLE PART # |
|-----------------------------------|-------|---------------------|--------------------------|
| Blaze Rapid Strip | 6,000 | — | 662610 09324 |
| Mandrel with 3-1/16" x 1/4" shank | — | 662610 09502 | — |
| Pkg/Case | | 1/1 | 5/4 |

Speed-Lok TR Rapid Strip Disc

Great for removing rust, undercoating, seam-sealers, and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



| DESCRIPTION | RPM | 2" TR PART # | 3" TR PART # |
|-------------------|--------|---------------------|---------------------|
| Blaze Rapid Strip | 15,000 | 666233 31051 | — |
| Blaze Rapid Strip | 12,000 | — | 666233 31053 |
| Back-up Pad | — | 666233 55103 | 666233 55105 |
| Pkg/Case | | 10/1 | 10/1 |



Engineered abrasives

Grind in 3D

8X Life

- Seeded Gel (SG) ceramic – Norton Blaze (orange) has a quicker cut rate and longer life compared to conventional abrasives
- Proprietary Norton Vortex aluminum oxide aggregate grain (blue) performs the medium to fine grit steps of traditional discs in an easy one-step operation
- 3D construction: abrasive is distributed throughout the entire disc (top, bottom and side) so all three faces can be used and providing 3 - 8 times the life of competitive surface blending discs
- Special resin chemistry resists shedding when used on sharp edges, making it ideal for deburring and creates no smearing


Norton Blaze and Norton Vortex Rapid Blend Discs

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces.

Norton Blaze (orange) can also be used to remove seam sealer and undercoating without loading. Norton Vortex (blue) is great for removing gaskets and works very well on aluminum without loading or smearing.

The discs are thin enough to get into tight spots but durable enough to last. Norton Blaze ceramic grain ensures a fast cut with long life. Norton Vortex grain cuts faster and finishes finer than conventional aluminum oxide abrasives.

Both can be used on the face, side, and back. Use with a 1" back-up pad to allow use of the top surface of the disc and allow the disc to conform to contours.



| DESCRIPTION | GRIT | 2" TR | 3" TR |
|----------------------------|--------------|---------------------|---------------------|
| | | PART # | PART # |
| Blaze Rapid Blend (Orange) | Extra Coarse | 666233 38632 | 666233 38633 |
| Vortex Rapid Blend (Blue) | Medium | 666233 34782 | 666233 34783 |
| Case | | 10 | 10 |





Cuts coarse/finishes fine

| Lasts longer

| No smearing

- Proprietary Norton Vortex aluminum oxide aggregate grain has a consistent cut and finish in addition to a fast cutting speed and finish of finer grits
- New grain coating method is more resistant to edge wear and lasts up to 4X longer than competitive products
- New resin system does not smear and will not load on aluminum and soft metals

Vortex Rapid Prep Speed-Lok Discs

Norton Non-Woven Vortex Rapid Prep surface blending discs deliver superior, consistent finishes whenever you need to clean, deburr, blend, or finish. Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues. Product color coding (by grit) makes work fast and easy.



| GRIT | COLOR | 2" TR VORTEX PART # | 3" TR VORTEX PART # |
|-----------------|--------|------------------------|------------------------|
| Very Fine (320) | Blue | 666233 90502 | 666233 35437 |
| Medium (120) | Maroon | 666233 90501 | 666233 35430 |
| Coarse (80) | Brown | 666233 90500 | 666233 35417 |
| Case | | 25 | 25 |

Rapid Prep Surface Blending Speed-Lok Discs

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. New resin formulation will not smear.



| GRIT | COLOR | 2" TR RAPID PREP PART # | 3" TR RAPID PREP PART # |
|-----------------|--------|----------------------------|----------------------------|
| Very Fine (320) | Blue | 662610 09189 | 662610 09192 |
| Medium (120) | Maroon | 662610 09190 | 662610 17522 |
| Coarse (80) | Brown | 662610 09191 | 662610 09194 |
| Case | | 25 | 25 |

2" and 3" Speed-Lok TR Grinding Discs



Premium
performance abrasives

Easy twist-on /
twist-off system



Rugged backing for
extended life

- Premium self-sharpening ceramic and zirconia alumina grain delivers an aggressive, consistent cut and long life
- Grinding aid coating produces minimal loading and burn-free grinding of heat-sensitive materials for a longer life
- Heavy duty backing allows for reduced edge wear extending the life of the disc

Blaze Speed-Lok TR Discs

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.





| |  |  |
|------|---|---|
| | 2" TR | 3" TR |
| GRIT | PART # | PART # |
| 80 | 662611 62324 | 662611 62334 |
| 60 | 662611 62322 | 662611 62332 |
| 50 | 662611 62320 | 662611 62330 |
| 36 | 662611 62318 | 662611 62328 |
| Case | 25 | 25 |

BlueFire Speed-Lok TR Discs

BlueFire zirconia alumina self-sharpening abrasive cuts fast and cool to minimize heat build-up.





| |  |  |
|------|---|---|
| | 2" TR | 3" TR |
| GRIT | PART # | PART # |
| 80 | 662611 21049 | 662611 21054 |
| 60 | 662611 21048 | 662611 21053 |
| 50 | 662611 38670 | 662611 38673 |
| 36 | 662611 38671 | 662611 38674 |
| 24 | 662611 38672 | 662611 38675 |
| Case | 25 | 25 |

Speed-Lok Back-up Pads

Speed-Lok TR are compatible with similar competitive attachment systems.



| |  |  |
|--------------|---|---|
| | 2" BACK-UP PAD | 3" BACK-UP PAD |
| DESCRIPTION | PART # | PART # |
| Speed-Lok TR | 662610 55103 | 662610 55105 |
| Case | 10 | 10 |



Long lasting

Consistent finish

Ergonomic

- Durable polyester flaps improve life, grain retention, and wear evenly creating a better, more consistent finish with a cooler cut
- High strength plastic back design is lightweight and absorbs vibration allowing for greater control and technician comfort improving productivity
- 2" and 3" diameter discs allow for easy storage and are useful for getting into hard-to-reach areas while maintaining required cut and life
- Can be used on high speed die grinders responding to the demand for smaller, ergonomically-friendly tools that require less effort, while delivering better results



Blaze Mini Flap Discs

Blaze Mini Flap discs eliminate the conventional 2-step process in grinding edges and removing welds and rust. Featuring the latest-generation ceramic alumina abrasive these mini flap discs have 50-200% longer life versus the competition on stainless, titanium, and super alloys.

| | 2" | 3" |
|---------------------------|---------------------|---------------------|
| GRIT | PART # | PART # |
| 120 | 776960 90149 | 776960 90154 |
| 80 | 776960 90148 | 776960 90153 |
| 60 | 776960 90147 | 776960 90152 |
| 40 | 776960 90146 | 776960 90151 |
| 36 | 776960 90145 | 776960 90150 |
| TR Back-Up Pad (Type III) | 088341 64922 | 088341 64922 |
| Pkg | 10 | 10 |





NorKut Grinding Discs

Zirconia alumina grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. Two quick-change mandrels are used on most popular tools: 7/16"-20 thread for use with hand held pneumatic grinders and 1/4" mandrel for use on automotive drills.



| GRIT | 3" DISC | MANDREL |
|------------------|---------------------|---------------------|
| | PART # | PART # |
| 50 | 636425 03658 | — |
| 36 | 636425 03657 | — |
| 24 | 636425 03656 | — |
| 7/16"-20 Mandrel | — | 636425 03659 |
| 1/4" Mandrel | — | 636425 03660 |
| Pkg/Case | 20/4 | 5/10 |



Bear-Tex AVOS Speed-Lok Discs

Very Fine: removes 180-320 grit grind lines and is excellent for paint preparation.

Medium: removes 120-180 grit grind lines and is excellent for cleaning and rust removal.

Coarse: removes 60-120 grit grind lines and is excellent for deburring.



| GRIT | COLOR | 5" |
|-----------|--------|---------------------|
| | | PART # |
| Very Fine | Blue | 666233 74824 |
| Medium | Maroon | 666233 74819 |
| Coarse | Brown | 666233 74818 |
| Pkg/Case | | 10/4 |



5" – 9" Fiber Grinding Discs



Premium performance abrasives

Grinding aid for heat reduction




Rugged backing for extended life

- Premium ceramic and zirconia alumina grain is self-sharpening for an aggressive, consistent cut and extended disc life
- Grinding aid coating for minimal loading, reduced heat and a longer life
- Heavy fiber backing has maximum strength and tear resistance for a long life



Blaze Grinding Discs





The Norton Blaze self-lubricating grain and heavier fiber backing helps to create better finishes and longer life on stainless and other tough applications. The 5" discs are available in a convenient, re-sealable foil pack to help control humidity and prevent curling.

| |  5" x 7/8" FOIL PACK |  5" x 7/8" |  7" x 7/8" |
|----------|--|--|--|
| GRIT | PART # | PART # | PART # |
| 80 | | 699573 98009 | 699573 98014 |
| 50 | | 699573 98007 | 699573 98012 |
| 36 | 662544 64821 | 780727 43401 | 780727 43402 |
| 24 | | 699573 98005 | 699573 98010 |
| Pkg/Case | | 25 | 25 |



BlueFire Grinding Discs

Zirconia alumina grain provides a quick initial cut and a self-sharpening action continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

| |  5" AVOS |  5" x 7/8" |  7" x 7/8" |  9-1/8" x 7/8" |
|------|--|--|--|--|
| GRIT | PART # | PART # | PART # | PART # |
| 80 | — | 662611 38600 | 662611 38590 | — |
| 60 | — | 662611 38601 | 662611 38591 | — |
| 50 | 662611 26558 | 662611 38561 | 662611 38592 | 662611 38582 |
| 36 | 662611 26557 | 662611 38562 | 662611 38593 | 662611 38583 |
| 24 | 662611 26556 | 662611 38563 | 662611 38594 | 662611 38584 |
| Case | 10 | 25 | 25 | 25 |



Remove spot welds
faster than bits

Cool cut

Gets into tight spots

Norton Blaze

Norton ceramic alumina grain is self-sharpening for consistent, aggressive cut and longer life. Has Y-wt. polyester cloth backing provides edge-fray resistance for improved grinding throughout belt life. Also has improved resin bond system significantly improved belt life due to exceptional grain adhesion

Norton BlueFire

Self-sharpening zirconia alumina for fast cut and long life; has high performance resin bond with strong grain adhesion. Has a flexible X-wt. polyester backing for moderate to light pressure applications

Norton Vortex Rapid Prep

Longer life and improved finish over traditional aluminum oxide products from unique ceramic blend of grain that cuts like a coarser grit size and finishes like a finer grit - while delivering a fast cut! Proprietary Norton Clean Bond resin system delivers a smear-free, crisp-clean finish and improves productivity. Has an extra flexible body for exceptional conformability and easy mounting and tool operation. Plus, versatile; can be used safely in combination with coolants or in dry applications and ideal for surface prep and paint/coating removal.

Portable File Belts

Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 and 120 grit belts for weld dressing and refinement.



| GRIT | BLAZE PART # | BLAZE 5PK PART # | BLUEFIRE PART # |
|-------------------|---------------------|---------------------|---------------------|
| 1/2" x 18" | | | |
| 40 | 699573 98021 | 776960 69243 | 662544 44193 |
| 60 | 699573 98022 | 776960 69244 | 780727 28569 |
| 80 | 699573 98023 | 776960 69245 | — |
| 120 | 662610 41384 | 776960 69246 | — |
| 3/8" x 13" | | | |
| 60 | 699573 45359 | — | 780727 40295 |
| 80 | 699573 92150 | — | 780727 36062 |
| Pkg/Case | 1/50 | 5/25 | 1/50 |

Non-Woven Portable File Belts




| GRIT | COLOR | PART # |
|-------------------|--------|---------------------|
| 1/2" x 18" | | |
| Coarse | Brown | 662610 55309 |
| Medium | Maroon | 662610 55310 |
| Very Fine | Blue | 662610 55311 |
| Pkg/Case | | 1/24 |





Non-Woven Vortex Rapid Prep Portable File Belts

| GRIT | COLOR | PART # |
|-------------------|--------|---------------------|
| 1/4" x 18" | | |
| Coarse | Brown | 662611 58548 |
| Medium | Maroon | 662611 58558 |
| Fine | Green | 662611 58578 |
| Very Fine | Blue | 662611 58583 |
| 1/2" x 12" | | |
| Coarse | Brown | 662611 58547 |
| Medium | Maroon | 662611 58555 |
| Fine | Green | 662611 58577 |
| Very Fine | Blue | 662611 58582 |
| 1/2" x 18" | | |
| Coarse | Brown | 662611 58549 |
| Medium | Maroon | 662611 58561 |
| Fine | Green | 662611 58579 |
| Very Fine | Blue | 662611 58584 |
| 1/2" x 24" | | |
| Coarse | Brown | 662611 58550 |
| Medium | Maroon | 662611 58565 |
| Fine | Green | 662611 58580 |
| Very Fine | Blue | 662611 58585 |
| 3/4" x 18" | | |
| Coarse | Brown | 662611 58552 |
| Medium | Maroon | 662611 58576 |
| Fine | Green | 662611 58581 |
| Very Fine | Blue | 662611 58586 |
| Pkg/Case | | 1/24 |





Premium abrasive grain | Durable resin bond | Fiberglass reinforced

- Operator comfort with reduced hand fatigue from less cutting vibration
- Less downtime and waste with longer wheel life using fewer wheels
- Require less operator pressure and effort reduces cycle time
- Fewer wheel changes mean quicker turnaround and greater productivity



Norton Blaze Cut-Off Wheels Named a COOL TOOL by Collision Hub!

<https://b.link/s7exur>



Blaze Cut-off Wheels

Norton Blaze cut-off wheels are composed of 100% of the most advanced ceramic alumina abrasive grain with a special shape for comfort and performance. Guaranteed 7X the life of aluminum oxide wheels and 3X the life of zirconia alumina wheels. The speed of cut is amongst the highest compared to other competitive product in the market.

1/32" Cut-off Wheel

- Thinnest, fastest cutting blade
- Much cooler cut
- Allows for a tighter fit
- Excellent for quarter panel

1/16" Cut-off Wheel

- Great for demanding applications
- Cuts bolts, rods and frame rails
- Exceptional, extended work life

| SIZE D x T x H | 3" | PART # | MAX. RPM |
|-------------------|----|---------------------|----------|
| 3" x 1/32" x 3/8" | | 662533 71058 | 25,465 |
| 3" x 1/16" x 3/8" | | 662533 71059 | 25,465 |
| Pkg/Case | | 5/10 | |



Medallion Cut-off Wheels

Norton Medallion cut-off wheels deliver unmatched performance on the job. They are a great choice for cool, easy, free-cutting of sheet metal, or heavy duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.

| SIZE D x T x H | 3" | PART # | MAX. RPM |
|-------------------|----|---------------------|----------|
| 3" x 1/32" x 3/8" | | 076607 89032 | 25,465 |
| 3" x 1/16" x 3/8" | | 076607 89030 | 25,465 |
| 3" x 3/16" x 3/8" | | 076607 89034 | 25,465 |
| Pkg/Case | | 5/10 | |



Small Diameter Reinforced Cut-off Wheels

Excellent for sheet metal work, cutting clamps and rusted bolts. Follow all safety precautions.

| | NORZON PLUS | GEMINI | |
|-------------------|------------------------|------------------------|----------|
| SIZE D x T x H | PART # | PART # | MAX. RPM |
| 4" x .035" x 3/8" | 662435 10675 | 662435 10630 FC | 19,100 |
| 4" x 1/16" x 3/8" | 662435 10677 FC | 662435 10655 FC | 19,100 |
| Pkg/Case | 25/1 | 25/1 | |

FC = Free Cut

SAFETY TIP

Always wear protective safety equipment and never exceed the RPM shown on the wheel. *Never use a cut-off wheel on a tool without a guard.*



Color-coded | Premium abrasives | Full line of abrasive products

- Consumer-friendly, attractive, color-coded packaging to appeals to the end user
- Features same high-quality, performance abrasive as professional products
- Full line of hand and power sanding abrasives designed to take the guesswork out of making the simpler, right choice



Stick & Sand Sanding Discs

For orbital sanding various autobody applications with the swiftness of a power tool and the maximum productivity of an abrasive product that cuts fast, lasts long, resists loading and produces a consistent scratch pattern.

| GRIT | 6" PSA DISCS PART # |
|-----------|------------------------|
| P400C | 076607 00345 |
| P320C | 076607 00346 |
| P220C | 076607 00347 |
| P180C | 076607 00348 |
| P80C | 076607 00350 |
| 80E | 076607 00351 + |
| 40E | 076607 00352 + |
| Pkg/Case | 5/10 |
| *Pkg/Case | 5/5 |



Dry Sand Sheets

Superior versatility of a full sheet product for sanding old paint, primer and between color coats to repair surfaces; the premium aluminum oxide abrasive with anti-clog coating (No-Fil) on a strong paper backing makes quick work of the project.

| GRIT | 9" x 11" PART # |
|----------|---------------------|
| P320C | 076607 00629 |
| P220C | 076607 00630 |
| P180C | 076607 00631 |
| P80E | 076607 00633 |
| Pkg/Case | 5/10 |



Wet Sand Sheets

Get the same versatility of a premium full sheet product with the flexibility of a using it for wet or dry sanding. The specially-coated waterproof paper will not deteriorate or curl when wet - which means you can take the time needed to finish the job at hand.

| GRIT | 9" x 11" PART # |
|----------|---------------------|
| 2000B | 076607 00491 |
| 1500B | 076607 00492 |
| 1200B | 076607 00493 |
| 1000B | 076607 00494 |
| P800B | 076607 00495 |
| P600B | 076607 00496 |
| P400B | 076607 00497 |
| P320B | 076607 00498 |
| P220B | 076607 00499 |
| Pkg/Case | 5/10 |



Stick & Sand Body File Sheets

Specifically-designed for use on a body file board/sander with a premium abrasive and reinforced backing to sand body filler with controlled ease.

| 2-3/4" x 16-1/2" | |
|------------------|---------------------|
| GRIT | PART # |
| P80E | 076607 00322 |
| P40E | 076607 00323 |
| Pkg/Case | 3/10 |



Scuff Pads

Non-woven pads are ideal for contoured and tight areas. The consistently-graded grain in an advanced resin formulation increases strength to avoid tearing and shredding. Use maroon pads before primer and on primed surfaces. Use gray pads for final scuffing of blend panels.

| 6" x 9" | |
|----------|---------------------------------|
| COLOR | PART # |
| Maroon | Primer/Prep 076607 00256 |
| Gray | Color Prep 076607 00257 |
| Pkg/Case | 3/10 |






Powerful,
quiet technology

Lightweight
and mobile

Organization
and proficiency

- Energy efficient and extremely quiet
- Compact, smooth-edged design to maneuver tight spaces effortlessly
- Extremely lightweight 16.5' coaxial anti-static hose is easy to store and delivers improved ergonomics
- Versatile design and enclosed storage area allows for customization improving cycle times and reducing waste
- An automatic filter cleaning system guarantees the greatest amount of dust removal preventing the vacuum from loading without interrupting work or reducing extraction

Low Maintenance – An automatic filter cleaning system guarantees the greatest amount of dust removal preventing the vacuum from loading without interrupting work or reducing extraction



Air cycle during normal operation



Air cycle during filter cleaning



VAC RACK Bundle

A customizable mobile work station that keeps technicians clean and organized, increases efficiency and the bottom line. The Norton VAC RACK bundle has the essentials needed for paint and body applications, allowing easy access for technicians to choose Norton abrasives, tools and accessories required to complete the job.

| PART # | DESCRIPTION | QTY |
|-------------|----------------------------------|-----|
| 69957312400 | VAC RACK Cart | 1 |
| | Vacuum System | 1 |
| | 16.5' Pneumatic anti-static hose | 1 |
| | 2-way Terminal | 1 |
| | Tool Hooks | 2 |
| | 3" Hooks | 6 |
| | Shelves | 2 |



Assembled VAC RACK Bundle



Learn more about VAC RACK
<https://qrs.ly/bag9jxb>



Norton Vacuum

The Norton Vacuum is a 45-liter dust extraction system that supports pneumatic and electric tools. Equipped with a manual and automatic start, this system significantly decreases sanding dust, leading to less cleanup and greater productivity. The Norton Vacuum features a 2-way terminal allowing for technicians to use the system simultaneously and includes one 5m anti-static pneumatic hose.

| PART # | DESCRIPTION | QTY/CS |
|---------------------|---------------|--------|
| 699573 06675 | Vacuum System | 1 |



Front

Back

Norton Light Duty Cart

The Norton Light-Duty Cart is designed to work in combination with the Norton Vacuum and includes two tool holders and two hose supports. This compact and portable solution features an ergonomic handle and large rubber wheels making it easy to move around a work area. The Norton Light-Duty Cart provides storage for easy access to abrasives and tools, keeping technicians organized and improving productivity.

| PART # | DESCRIPTION | QTY/CS |
|--------------------|-----------------|--------|
| 780727 5490 | Light Duty Cart | 1 |



with Tool

Transport Handle Kit

The Transport Handle for the Norton Vacuum provides the most compact and simple option for dust extraction. The soft grip handle includes one tool holder and allows technicians to easily move the system around a work area.

| PART # | DESCRIPTION | QTY/CS |
|---------------------|------------------|--------|
| 699573 12645 | Transport Handle | 1 |



Vacuum shown on
Light Duty Cart




Vacuum shown with
Transport Hand Kit



Norton Vacuum

The filter bags have a cap to contain dust during disposal.



| PART # | DESCRIPTION | QTY/CS |
|---------------------|------------------|--------|
| 699573 06675 | Vacuum System | 1 |
| 699573 12646 | Polyester filter | 1 |

Connectors

The 2-way terminal allows for two hoses and tools to connect to the vacuum and run simultaneously. The rubber connection is a threaded hose fitting without a flow gauge.



| PART # | DESCRIPTION | QTY/CS |
|---------------------|-------------------------------------|--------|
| 699573 12640 | 2-way terminal | 1 |
| 699573 12641 | Threaded rubber connection for hose | 1 |

Norton Multi-Air Orbital Sanders


These sanders are engineered for extremely smooth and quiet operation with a lightweight and ergonomically design for maximum comfort. Use the 6mm throw orbital sander for preparing body filler or sanding of clear coat paints and the 3mm throw for fine sanding and edging.



| PART # | DESCRIPTION | QTY/CS |
|---------------------|-----------------------------|--------|
| 699573 12636 | 6" 3mm throw orbital sander | 1 |
| 699573 12633 | 6" 6mm throw orbital sander | 1 |
| 699573 66126 | 6" 9mm throw orbital sander | 1 |

Multi-Hole Back-up Pad

The multi-hole pattern combined with the 10 channels on the side of the back-up pad provide an air flow that increases dust extraction on both horizontal and vertical surfaces for a cleaner work area. The back-up pad is designed to obtain a low center of gravity to ensure better control and precision during all phases of the sanding process.



| PART # | DESCRIPTION | QTY/CS |
|---------------------|--------------------------|--------|
| 699573 12647 | Multi-hole back-up pad | 5 |
| 699573 45337 | Multi-hole interface pad | 4 |

Anti-Static Hoses

The 16.5' lightweight, anti-static hoses are treated to prevent the buildup of static electricity caused by dust as it moves through them. The hose for a pneumatic tool includes an integrated air line.



| PART # | DESCRIPTION | QTY/CS |
|---------------------|------------------------------------|--------|
| 699573 12637 | 16.5' (5m) hose for pneumatic tool | 1 |
| 699573 12638 | 16.5' (5m) suction hose | 1 |
| 699573 45325 | 26.2' (8m) hose for pneumatic tool | 1 |
| 699573 45336 | 26.2' (8m) suction hose | 1 |

Vacuum Hand Blocks

Designed for use with vacuum abrasive sheet rolls. The REVvive by RSG dust-free hand blocks are flexible to easily conform to edges and curves.



| PART # | DESCRIPTION | CASE |
|---------------------|-------------------------|------|
| 666233 91381 | 125 x 70mm Vacuum Block | 1 |
| 666233 91382 | 200 x 70mm Vacuum Block | 1 |
| 666233 91383 | 400 x 70mm Vacuum Block | 1 |

Vacuum Hand Block Interface Pads

Matches hole design on the REVvive by RSG Vacuum Block. Use of an interface pad improves both surface finish and cut rate.



| DESCRIPTION | PART # | CASE |
|---------------------------------------|---------------------|------|
| 125 x 70mm Vacuum Block Interface Pad | 666233 91384 | 10 |

Mini Angle Sander / File Belt Sander



Compact

Powerful

Portable

- A double-bearing spindle generates superb concentricity reducing vibrations allowing for longer use and finer finishes
- Finesse your projects by having the ultimate control in both precision and power with the speed regulator
- Get better tool handling while reducing additional fatigue with the ergonomic and streamlined non-slip grip
- Exceptionally high horsepower (hp):
2" - 0.45 hp and 22,000 RPMs
3" - 0.9 hp and 20,000 RPMs

Mini Angle Sander

Put the world right in the palm of your hand with our 2" and 3" Norton Mini Angle Sanders. Small, compact enough in getting to those hard-to-reach areas, and powerful enough to finish the job fast and efficiently.

| SIZE/DESCRIPTION | 2" | 3" | QTY/CS |
|------------------|--------|--------------|----------------|
| | PART # | PART # | |
| 2" Single Sander | 662611 | 50076 | 1 |
| 3" Single Sander | | 699573 | 82154 1 |



Compact

Powerful

Portable

- The low vibration of the Norton File Belt Tool provides better operator comfort and control for greater productivity
- The light-weight and ergonomic design boasts .70 HP and up to 21,000 max RPM
- Use for deburring, light grinding, blending, surface prep, and polishing on various substrates



File Belt Tool

Durable plastic case provides convenience and protects the file belt tool and abrasives

| SIZE/DESCRIPTION | PART # | QTY/CS |
|---|--------|----------------|
| File Belt Tool | 662544 | 50330 1 |
| Norton File Belt Replacement Arm (1/2" x 18") | 666233 | 91377 1 |
| Norton 3/4" x 18" File Belt Arm | 780727 | 75493 1 |
| Norton 1/4" x 18" File Belt Arm | 780727 | 75494 1 |





Plastic Repair

Seam Sealers

Metal Bonding

- Created using the most advanced technology available today
- Products can handle many different applications, thus minimizing the need for a large inventory of product to be kept on-hand
- Urethane Adhesives are the best choice for plastic repairs, easy to sand and will not lift, roll up or shrink
- Epoxy Adhesives are ideal for undetectable SMC repairs because they are easy to sand and will not lift or roll up

| METAL BONDING | METAL BONDING – STRUCTURAL | COMPOSITE PLASTIC REPAIR – BONDING | COMPOSITE PLASTIC REPAIR – STRUCTURAL | COMPOSITE PLASTIC REPAIR – COSMETIC | FLEXIBLE PLASTIC REPAIR – STRUCTURAL | FLEXIBLE PLASTIC REPAIR – COSMETIC | 636425- | DESCRIPTION | COLOR | WORK TIME | HANDLING/ CLAMP TIME | SANDING TIME | PAINT TIME |
|--------------------|----------------------------|------------------------------------|---------------------------------------|-------------------------------------|--------------------------------------|------------------------------------|---------|--------------------------|--------|-----------|-------------------------|--------------|------------|
| | | | | | | | | | | | | | |
| EPOXY ADHESIVES | | | | | | | | | | | | | |
| ■ | | ■ | ■ | | ■ | | 06418 | Panel Bonder – 30 minute | Black | 30 min | 2 hours | 3 hours | |
| ■ | | ■ | ■ | | ■ | | 06421 | Panel Bonder – 90 minute | Black | 90 min | 4 hours | 8 hours | |
| ■ | ■ | | | | | | 06427 | Impact Toughened | Purple | 90 min | 120 min | | |
| | | | | ■ | | ■ | 06412 | Repair and Filler | Purple | 5 min | | 15-30 min* | 15-30 min* |
| URETHANE ADHESIVES | | | | | | | | | | | | | |
| | | ■ | ■ | | ■ | | 04647 | 45 second | Opaque | 45 sec | 2-1/2 min | 5 – 7 min* | |
| | | ■ | ■ | | ■ | | 04615 | 1 minute | Black | 1-1/2 min | 7 min | 12 – 20 min* | 1 hour |
| | | ■ | ■ | | ■ | | 04616 | 5 minute | Black | 7 min | 15 min | 45 min | 2 hours |
| | | ■ | ■ | | ■ | | 04617 | 15 minute | Black | 20 min | 45 min | 90 min | 3 hours |

*Sanding time depends on film thickness | Times are @ 70°F/21°C except #06421 @ 77°F / 25°C

TECHNICAL HELP LINE 1-866-879-3761



Impact Toughened Structural Adhesive

Two-part epoxy (2:1) structural adhesive for use in automotive bonding applications. Adheres to a wide variety of properly prepared substrates including steel and aluminum. The Impact Toughened Structural Adhesive has an extended work time for large applications, but can be accelerated with applied heat. Impact Toughened Structural Adhesive is much stronger than traditional structural adhesives, and can be used in weld bonded or rivet bonded OEM applications.

| DESCRIPTION | SIZE | PART # |
|----------------------------|-------|---------------------|
| Panel Bonding Adhesive 2:1 | 220ml | 636425 06427 |
| Case | | |



Epoxy Panel Bonding Adhesive

Superior two-part epoxy (2:1) adhesive designed to bond SMC, FRP, fiberglass, steel, and aluminum auto parts and body panels to each other and to metal frames (no primer required). It seals and bonds in one application.

| DESCRIPTION | SIZE | PART # |
|------------------------------------|--------|---------------------|
| Panel Bonding Adhesive – 30 minute | 220 ml | 636425 06418 |
| Panel Bonding Adhesive – 90 minute | 220 ml | 636425 06421 |
| Case | | 6 |



Epoxy Repair and Filler

Two-part epoxy (1:1) used for cosmetic repairs on both flexible and rigid parts. Adhesion promoter must be used on plastic parts. Work time is 5 minutes and it can be sanded in 15-30 minutes. It sands easily and feathers well.

| DESCRIPTION | SIZE | PART # |
|-------------------|--------|---------------------|
| Repair and Filler | 220 ml | 636425 06412 |
| Case | | 6 |

TECH TIP

Norton SpeedGrip adhesives **SHOULD NOT** be used for bonding structural components such as rails, pillars, rocker panels, core supports, etc. If in doubt as to what is a structural component, contact the vehicle manufacturer.

RESISTANCE SPOT WELDING: Norton recommends resistance welding through Metal Bonding Adhesives in a wet or cured state with little to no burn back.

WELDING: Norton Adhesive **CANNOT** be in the weld area or burn back will occur. Norton recommends at least one inch clearance from the weld site to keep the adhesive from contaminating the weld site while positioning the panel on the vehicle. If using, make sure to cover weld area on vehicle and replacement panel, but do not contaminate bond line areas.

After clamping, wipe any excess adhesive off the panel while wet.





45 Seconds

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEO, PP, and ABS.

| DESCRIPTION | SIZE | PART # |
|-------------|-------|---------------------|
| 45 seconds | 215ml | 636425 04647 |
| Case | | 6 |



1 Minute

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEO, PP, and ABS.

| DESCRIPTION | SIZE | PART # |
|-------------|-------|---------------------|
| 1 minute | 215ml | 636425 04615 |
| Case | | 6 |



5 Minutes

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs, and cosmetic repairs including TPE, TPO, TEO, PP, and ABS and can also be used to bond SMC or fiberglass panels.

| DESCRIPTION | SIZE | PART # |
|-------------|-------|---------------------|
| 5 minutes | 215ml | 636425 04616 |
| Case | | 6 |



15 Minutes

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs and cosmetic repairs including TPE, TPO, TEO, PP and ABS.

| DESCRIPTION | SIZE | PART # |
|-------------|-------|---------------------|
| 15 minutes | 215ml | 636425 04617 |
| Case | | 6 |



Adhesion Promoter

No need to identify plastic type – just simply apply Norton SpeedGrip Adhesion Promoter to all plastics once, no need to re-apply. Allow for a 10 minute flash time.

No plastic identification required.



| DESCRIPTION | SIZE | PART # |
|---------------------------|-----------|---------------------|
| Aerosol Adhesion Promoter | 333 grams | 636425 04625 |
| Case | | 12 |



Seam Sealer – Controlled Flow

Two-part epoxy (1:1). Permanently flexible sealer that features a controlled leveling characteristic, as opposed to the excessive flow found in a self-leveling seam sealer. For use on horizontal or sloped areas. Can be painted after 30 minutes.

| DESCRIPTION | SIZE | PART # |
|-------------------------------|--------|---------------------|
| Seam Sealer - Controlled Flow | 220 ml | 636425 06402 |
| Case | | 6 |



Epoxy Seam Sealer

Two-part epoxy (1:1) used to seal interior and exterior seams, joints, and voids. It will not shrink, harden, or crack and retains its flexibility. For use on vertical or horizontal seams. Can be painted after 30 minutes.

| DESCRIPTION | SIZE | PART # |
|-------------|--------|---------------------|
| Seam Sealer | 220 ml | 636425 97120 |
| Case | | 6 |



Self-Leveling Seam Sealer

Two-part epoxy (1:1) is formulated for use on drip rails, trunk seams, and roof channels. It will not shrink, harden, or crack and retains its flexibility. For use on horizontal seams. Can be painted after 30 minutes.

| DESCRIPTION | SIZE | PART # |
|------------------------------|--------|---------------------|
| Seam Sealer – Self-Levelling | 220 ml | 636425 97121 |
| Case | | 6 |



Bare Metal Epoxy Seam Sealer

Two-part epoxy (1:1), non-sag, high solid epoxy designed where a fast setting and fast paint time sealer is desired. Provides the latest in technology for sealing seams and faster paint time than traditional sealers. Norton Bare Metal Epoxy Seam Sealer extrudes easily with excellent tooling characteristics with no shrinkage, and can be painted after 45 minutes at 70° F/21°C.

| DESCRIPTION | SIZE | PART # |
|------------------------|--------|---------------------|
| Bare Metal Seam Sealer | 220 ml | 636425 06398 |
| Case | | 6 |





OEM approved

Urethane formula
bonds all materials

Outstanding
corrosion protection

- High strength structural bonding with OEM quality and performance and outstanding corrosion protection
- Various work times result in shorter clamp time to increase productivity
- Products can handle many different applications, thus minimizing the need for a large inventory of product to be kept on-hand



SMC/FRP Fiberglass Repair and Panel Bonding – Urethane

Norton SpeedGrip two-part urethane adhesives are a quick and versatile system for bonding and repairing steel, aluminum, flexible, semi-rigid and rigid plastic and SMC, FRP, and fiberglass. All products provide the same outstanding performance on these materials. Just select the working time that best fits your needs.

| DESCRIPTION | 400ML PART # |
|-------------|---------------------|
| 3 minutes | 636425 04671 |
| 10 minutes | 636425 04672 |
| 35 minutes | 636425 04673 |
| Case | 6 |

400ml Use applicator gun #41398-manual or #41396-pneumatic

Working Times

| OPEN TIME | WORK TIME | CLAMPING/FIXTURE TIME | SANDING/PAINTING TIME |
|------------|---------------|-----------------------|-----------------------|
| 3 minutes | 3-1/2 minutes | 10 minutes | 30 minutes |
| 10 minutes | 17 minutes | 30 minutes | 1 hour |
| 35 minutes | 50 minutes | 90 minutes | 3 hours |

Times will increase as temperatures decrease.

Times shown above are at 77°F/25°C.

Full cure time is 24 hours but this may be accelerated with heat.

Do not apply polyester based putty/fillers on urethane products.

If polyester putty/filler must be used, skim coat over the Norton Speed-Grip repair area using Norton Speed-Grip rigid repair adhesive or Norton Speed-Grip flexible repair adhesive.

SMC/FRP Fiberglass Panel Bonding – Epoxy

Superior two-part epoxy Norton SpeedGrip adhesive designed to bond steel, aluminum, SMC, FRP, and fiberglass truck parts and panels. It seals and bonds in one application. The longer work time allows for adequate adjusting and handling. The glass beads mixed in this formulation provide the adequate spacing between parts for optimal bond strength.

| DESCRIPTION | SIZE | PART # |
|------------------------------|--------|---------------------|
| Epoxy Panel Bonding Adhesive | 400 ml | 636425 04674 |
| Case | | 6 |

Use applicator gun #41398-manual or #41396-pneumatic 2:1 Cartridge

Working Times

| WORK TIME | CLAMPING/FIXTURE TIME | SANDING/PAINTING TIME |
|------------|-----------------------|-----------------------|
| 90 minutes | 4 hours | 8 hours |





Manual Applicator Gun –
1:1 and 2:1



Pneumatic Applicator Gun –
1:1 and 2:1



Mixing Tips
24-element tips ensure automatic
mixing for 220ml to 400ml.

Accessories

| DESCRIPTION | 200ML/220ML | 400ML | 220ML TO 400ML TIPS |
|------------------------------------|---------------------|---------------------|---------------------|
| | PART # | PART # | PART # |
| Manual Applicator Gun 1:1 & 2:1 | 636425 41400 | 636425 41398 | – |
| Pneumatic Applicator Gun 1:1 & 2:1 | 636425 41399 | 636425 41396 | – |
| Mixing Tips - 24 Element (green) | – | – | 636425 04628 |
| <i>Pkg/Case</i> | <i>1</i> | <i>1</i> | <i>6/60</i> |



Reinforcing Tape

Self-adhesive backing tape for repairing and filling holes and plastic gouges. It can be used with both urethane and epoxy adhesives.

| DESCRIPTION | SIZE | PART # |
|------------------|----------|---------------------|
| Reinforcing Tape | 2" x 65' | 636425 04632 |
| <i>Case</i> | | <i>6</i> |



Speed-Grip Rack

Heavy-duty steel rack that can be hung up in the shop and will help you organize your inventory of Norton SpeedGrip Structural Adhesives.

| DESCRIPTION | SIZE | PART # |
|-----------------------|-----------------------------|---------------------|
| Norton SpeedGrip Rack | 25-1/2" x 11" x 9-1/2" deep | 636425 06168 |
| <i>Case</i> | | <i>1</i> |

Premium Automotive Masking Tape




Conformability

Superior Adhesion

Excellent cling

Premium Automotive Masking Tape


- Special crepe paper backing makes for easy application with enhanced visibility and easy conformability to curves and contours
- Superior adhesion and high tack on a variety of surfaces including painted metal, rubber and glass as a result of the special rubber-based adhesive
- Delivers sharp paint lines and clean removal after the bake cycle and up to 3 days of outdoor exposure (UV resistant)
- Easy unwinding, water resistant and high temperature resistant up to 194°F/90°C (max 1 hour), 248°F/120°C (max 30 min)
- Conveniently packaged on a standard core to fit all current masking dispensers, making it simple for one person to apply



Premium Automotive Masking Tape

Norton Premium Automotive Masking Tape is optimized for the paint masking process in collision repair applications. With superior adhesion to a variety of surfaces and clean removal after bake cycles up to 248°F/120°C, this tape is the ideal choice for sharp paint lines and protection.

| | 3/4" x 60 YDS (18 MM x 55 M) | 1" x 60 YDS (24 MM x 55 M) | 1 1/2" x 60 YDS (36 MM x 55 M) | 2" x 60 YDS (48 MM x 55 M) |
|---------------------|---------------------------------|-------------------------------|-----------------------------------|-------------------------------|
| DESCRIPTION | PART # | PART # | PART # | PART # |
| Yellow Masking Tape | 662544 47590 | 662544 47591 | 662544 47592 | 662544 47593 |
| Case | 48 | 26 | 24 | 20 |



Blue Fine Line Tape

Norton Blue Fine Line Masking Tape adheres and conforms easily to contours and irregular surfaces. This tape's low profile eliminates hard paint edges and leaves no residue when removed. Resistant to temperatures up to 180°F. It features "pucker-free" cornering, and has straight edges on long runs, plus stays in place and doesn't roll back or have curling edges.

| | 1/8" x 36 YDS | 1/4" x 36 YDS | 1/2" x 36 YDS |
|---------------------|---------------------|---------------------|---------------------|
| DESCRIPTION | PART # | PART # | PART # |
| Blue Fine Line Tape | 636425 72018 | 636425 72014 | 636425 72012 |
| Case | 12 | 12 | 12 |



Premium Trim Masking Tape - Perforated

Made from a premium crepe material, Norton Perforated Trim Masking Tape works to protect rubber trim and decorative molding during automotive refinishing. Able to withstand high heat, this versatile tape has a rubber-based adhesive and is perforated at intervals for easy tear-off. Plus, the crepe fabrication makes the tape receptive to paint.

| | 2" x 10.94 YDS |
|------------------------------|---------------------|
| DESCRIPTION | PART # |
| Perforated Trim Masking Tape | 636425 06169 |
| Case | 6 |



Foam Masking Tape

Easy-to-use, time-saving products to mask door jambs and other apertures like hood and deck lid openings that need to be sealed during the painting process. The Premium Foam Masking Tape features a semi-split design and offset adhesive to ensure a soft paint edge.

| | 1/2" x 54.5 YDS (13 MM x 50 M) | 3/4" x 54.6 YDS (20 MM x 50 M) |
|---------------------------|-----------------------------------|-----------------------------------|
| DESCRIPTION | PART # | PART # |
| Foam Masking Tape | 662544 70735 | — |
| Premium Foam Masking Tape | — | 662544 70746 |
| Case | 1 | 1 |



Cloth Duct Tape

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general purpose repair applications.

| DESCRIPTION | 2" x 60 YDS PART # |
|-----------------|-----------------------|
| Cloth Duct Tape | 636425 78000 |
| Case | 24 |



White Paint Check Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, poly coated to protect against bleed-through and has a built-in Norton Paint Check for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. Corona-treated so paint won't flake off and poly-coated to protect against bleed-through

- Features built in "Paint Check" design for use confirming proper paint flow and coverage
- Resistant to waterborne and solvent-based products

| SIZE | 6" | 12" | 18" | 24" | 36" |
|----------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| DESCRIPTION | PART # | PART # | PART # | PART # | PART # |
| Masking Paper (750' boxed) | 636425 00402 | 636425 00403 | 636425 00404 | 636425 06224 | 636425 00407 |
| Case | 6 | 3 | 2 | 1 | 1 |

Each 750' boxed case is a 36" log. Length is approximate.





Paintable

Corona-treated so paint will not
flake off

Excellent cling

- Tri-layer paintable sheeting is easy and fast to apply, and clings to the vehicle's body even after being repositioned
- Corona-treated so the overspray paint won't flake off and create rework
- 3-ply resin formula provides excellent tear resistance, prevents bleed through, and is solvent resistant
- Conveniently packaged on a standard core to fit all current masking dispensers, making it simple for one person to apply

Blue Sheetting

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. Norton Blue Sheetting can be cut and painted along the critical edge.



| DESCRIPTION | 12' x 400' PART # | 16' x 350' PART # | 20' x 350' PART # |
|----------------|----------------------|----------------------|----------------------|
| Blue Sheetting | 636425 03344 | 636425 03345 | 636425 03723 |
| Case | 1 | 1 | 1 |

Overspray Sheetting

Value paintable overspray sheetting. Medium-density, corona-treated plastic.



| DESCRIPTION | 12' x 400' PART # | 16' x 400' PART # |
|---------------------|----------------------|----------------------|
| Overspray Sheetting | 636425 06727 | 636425 06728 |
| Case | 1 | 1 |



Blue Wrap Protective Plastic

Self-Adhesive Weather Barrier

- Clear film with built in UV inhibitors for interior protection
- Don't leave on more than 30 days
- Do not expose above 170° F
- Do not install on wet or damp surfaces

| DESCRIPTION | PART # |
|---|---------------------|
| Weather Barrier 36" x 100' (9 lbs.) 3 mil thick | 636425 05920 |
| Case | 1 |



Wheel Maskers

- Tri-layer plastic
- Paintable – NO Flaking
- Fully covers both sides of the wheel
- Covers wheels up to 17"

| DESCRIPTION | PART # |
|-----------------------------------|---------------------|
| Wheel Maskers (50/roll) Paintable | 636425 05922 |
| Case | 1 |



Bucket Seat Covers

- Full coverage from headrest to floor
- Will not slip or bunch up
- Protects seats from grease, dust and chemicals
- Perforated roll

| DESCRIPTION | PART # |
|--|---------------------|
| Bucket Seat Covers (125/roll) Non-Slip | 636425 05921 |
| Case | 1 |



Floor Mats

- Will not slip or tear
- Protects floor from dirt, grease and chemicals
- Perforated roll
- Generous size: 16-1/2" x 21"

| DESCRIPTION | PART # |
|-----------------------|---------------------|
| Floor Mats (125/roll) | 636425 05923 |
| Case | 1 |





Ultra fast, high-strength
bond adhesives

Full line of joint and
seam sealers

Brush and spray
protective coatings

- High quality components match OEM color or texture with ultra-fast application and dry time and high-strength bond
- Products can handle many different applications, thus minimizing the need for a large inventory of product to be kept on-hand



Super Bond Weatherstrip Adhesive

Super Bond Weatherstrip Adhesive is a fast setting, high-bond strength adhesive. Used to bond rubber or vinyl weatherstrips to doors, trunks, windows, etc. Can apply using a nasal tip or controlled bead. Has instant tack, and a strong bond, plus is fast drying and waterproof. Resists oil, grease, and silicone.

| DESCRIPTION | COLOR | SIZE | PART # |
|----------------------------------|-------|-----------|---------------------|
| Super Bond Weatherstrip Adhesive | Black | 5 oz Tube | 076607 82705 |
| | Amber | 5 oz Tube | 076607 82706 |
| Case | | | 12 |



Heavy-Duty Spray Trim Adhesive

A fast drying, super strength adhesive in an aerosol can. Used to bond carpeting, urethane foam, insulation, supported vinyl, wood, paper, hood pads, and headliners to most substrates. Convenient adjustable spray nozzle for varied applications.

| DESCRIPTION | SIZE | PART # |
|--------------------------------|------------------------------|---------------------|
| Heavy Duty Spray Trim Adhesive | 24 oz Can / 15.75 oz Net Wt. | 076607 82725 |
| Case | | 12 |



Urethane Windshield Sealer

A one part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

| DESCRIPTION | SIZE | PART # |
|----------------------------|---------------------|---------------------|
| Urethane Windshield Sealer | 1/10 gal. Cartridge | 076607 82735 |
| Case | | 12 |



Urethane Seam Sealer

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior body joints and seams and duplicates OEM appearance. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

| DESCRIPTION | COLOR | PART # |
|-----------------------------------|-------|---------------------|
| Urethane Seam Sealer Sausage Pack | White | 076607 82751 |
| Case | | 6 |



Application Gun

Designed for use with Norton Urethane Seam Sealer (#82751). This item is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material. Low ratio mechanism allows for easy pumping and precise application of sealant.

| DESCRIPTION | PART # |
|-----------------|---------------------|
| Application Gun | 076607 82786 |
| Case | 1 |



Quick-Set Seam Sealer

Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Applies easily, skins in 2 minutes, and is paintable in 30 minutes. Has outstanding toolability and remains flexible when dry, plus has excellent adhesion to numerous substrates.

| DESCRIPTION | COLOR | SIZE | PART # |
|-----------------------|-------|--------------------|---------------------|
| Quick-Set Seam Sealer | Beige | 1/10 Gal Cartridge | 076607 82750 |
| Case | | | 12 |



Black Powder Guide Coat

Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties and other repair components. Apply guide coat over the area to be sanded, and continue sanding until the coating is no longer visible on the surface. It can be sanded using either wet or dry sanding methods.

| DESCRIPTION | SIZE | PART # |
|-----------------------------------|-----------|---------------------|
| Black Powder Coat with applicator | 100 grams | 666233 34772 |
| Case | | 6 |



Premium Rubberized Undercoat – Paintable

Fast-drying rubberized undercoat for rust-prevention, sound deadening and chip resistance to fenders, undercarriages, quarter panels, wheel wells, decks, and hoods. Excellent adhesion to painted and unpainted surfaces. Resists rust and abrasion as it seals out dust and moisture. Paintable in one hour.

| DESCRIPTION | SIZE | PART # |
|------------------------------|-------------------------------|---------------------|
| Premium Rubberized Undercoat | 24 oz Can/17.75 oz Net Weight | 076607 82775 |
| Case | | 6 |



Panel and Adhesive Cleaner

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.

| DESCRIPTION | SIZE | PART # |
|----------------------------|-------------|---------------------|
| Panel and Adhesive Cleaner | Quart/32 oz | 076607 82780 |
| Case | | 12 |



Attachment Tape



Factory Grade Attachment Tape

High-performance black double-sided acrylic foam tape with blue easy-release polypropylene liner for exterior and interior moldings and trims. Norton Factory Grade Attachment Tape features black adhesive with a dark foam core that provides cleaner site lines in applications such as modern body side moldings, claddings and roof ditch moldings. Enhanced ability to match the requirements of new OEM part technologies.

- Versatile adhesive bonds to medium and high-surface energy plastics, taking the guesswork out of choosing the right tape for the right part
- Enhanced short term adhesion capability (20 minutes after initial bond) on a wide variety of substrates, increasing productivity and speed of assembly
- Superior conformability to allow for a better bond to irregular surfaces
- Resistant to weathering degradation (UV and high temperature) with the ability to remain flexible at cold temperatures

| | 1/4" x 5 YDS. | 1/2" x 5 YDS. | 7/8" x 5 YDS. |
|--------------------------------------|---------------------|---------------------|---------------------|
| DESCRIPTION | PART # | PART # | PART # |
| Attachment Tape 0.045" (1.1mm) Thick | 636425 98650 | 636425 98651 | 636425 98652 |
| Case | 12 | 9 | 7 |



Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides with blue easy-release polypropylene liner is designed for bonding medium to large moldings and accessories. High-strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings and pillar covers
- Remains flexible at low temperatures

| | 1/4" x 20 YDS. | 1/2" x 20 YDS. | 7/8" x 20 YDS. |
|--------------------------------------|---------------------|---------------------|---------------------|
| DESCRIPTION | PART # | PART # | PART # |
| Attachment Tape 0.045" (1.1mm) Thick | 636425 05620 | 636425 05621 | 636425 05622 |
| Case | 12 | 12 | 12 |



Cabinets and Dispensers



Ergonomic design
for comfort

Constructed of
durable materials

Designed for
automotive applications


- High-quality, durable components are long lasting and cost effective
- Ergonomic design reduces fatigue



Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes and chemicals, while keeping them clean, dry and secure. Sidewalls are pre-punched to mount six Norton disc roll/sheet roll dispensers. Weight: 54 pounds.

| DESCRIPTION | SIZE | PART # |
|----------------------------|-----------------|---------------------|
| Automotive Utility Cabinet | 32" x 13" x 25" | 636425 42770 |
| Case | | 1 |



Disc Roll and Sheet Roll Dispensers

Norton Automotive Disc and Sheet Roll Dispensers feature heavy duty construction and a rubberized finish, designed to protect your product, as well as the finish on your workpiece. They are versatile, for use with any 5" or 6" disc roll or sheet roll.

| DESCRIPTION | PART # |
|----------------------------|---------------------|
| Single Disc Roll Dispenser | 636425 42772 |
| Sheet Roll Dispenser | 636425 42773 |
| Case | 1 |

* Each rack can be attached to a wall, mounted on a Norton Utility Cabinet, or stacked upon other Norton dispensers.



Ergonomic Sanding Blocks

- PSA – Soft – Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.
- PSA – Firm – Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.
- Hook and Loop – Soft – Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.
- Hook and Loop – Firm – Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

| DESCRIPTION | 2-3/4" x 5" | 2-3/4" x 7-3/4" |
|----------------------|---------------------|---------------------|
| | PART # | PART # |
| Soft – PSA | 636425 42090 | – |
| Firm – PSA | 636425 42091 | 636425 42094 |
| Soft – Hook and Loop | 636425 42092 | – |
| Firm – Hook and Loop | 636425 42093 | 636425 42095 |
| Case | 5 | 5 |



Rubber Hand Sanding Block

Ideal for uniform sanding. Can be used for dry or wet sanding. Uses a 2-3/4" x 9" sheet which is 1/4 of a standard 9" x 11" sheet. Slotted jaws securely hold sheets in place.

| DESCRIPTION | PART # |
|---------------------------|---------------------|
| Rubber Hand Sanding Block | 076607 01889 |
| Case | 5 |



Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or Hook and Loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

| DESCRIPTION | PART # |
|----------------------------|---------------------|
| For 6" PSA Discs | 636425 03727 |
| For 6" Hook and Loop Discs | 636425 03726 |
| Case | 5 |



Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Hook and Loop disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Hook and Loop disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

| DESCRIPTION | PART # |
|---------------------------|---------------------|
| 6" x 1/2" Thick Soft Foam | 636425 00906 |
| 6" Half Moon | 636425 00904 |
| Case | 10 |

Sanding Blocks and Boards

Dual Density Wet Sanding Block


Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.



| DESCRIPTION | PART # |
|-------------------|---------------------|
| Wet Sanding Block | 636425 03728 |
| Case | 12 |

Holey Block


A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.



| DESCRIPTION | PART # |
|-------------|---------------------|
| Holey Block | 636425 03729 |
| Case | 8 |

PSA Sanding Board

The PSA Sanding Board has a cushioned surface. Slots at each end securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.



| DESCRIPTION | PART # |
|-----------------------------|---------------------|
| PSA Body File Sanding Board | 636425 42724 |
| Case | 6 |



Consistent finish

Better control
and performance

Multiple options for
many applications

- Two profiles and two densities give you all the options you need for any sanding job
- Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish
- All pads are individually spin-balanced for better control and performance on all tools
- Each pad is protected by a sturdy, clam shell package ready for pegboard display
- A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool



Low Profile, Soft Density
For Medium To Fine Grit Sanding
(Soft, thicker foam for contours)
12,000 rpm



Low Profile, Medium Density
For Coarse to Medium Grit Sanding
(Hard edge)
15,000 rpm



Tapered Edge, Medium Density
For Coarse to Medium Grit Sanding (Flexible
edge, easy to reach small contours)
15,000 rpm



SOFT / 320 AND FINER

MEDIUM / 320 AND COARSER

TAPERED / 320 AND COARSER

| | SOFT / 320 AND FINER | | MEDIUM / 320 AND COARSER | | TAPERED / 320 AND COARSER | |
|---------------|----------------------|---------------------|--------------------------|---------------|---------------------------|---------------------|
| | PSA | HOOK AND LOOP | PSA | HOOK AND LOOP | PSA | HOOK AND LOOP |
| | PART # | PART # | PART # | PART # | PART # | PART # |
| 5" Plain Face | — | — | 636425 06135 | — | 636425 06139 | 636425 06143 |
| 6" Plain Face | 636425 06127 | 636425 06130 | 636425 06137 | — | 636425 06141 | 636425 06145 |
| 6" Vacuum | — | — | 636425 06138 | — | 636425 06142 | 636425 06146 |
| Case | 5 | 5 | 5 | — | 5 | 5 |

Pads have a riveted 5/16"-24 threaded spindle and are made with polyurethane foam with a fiberglass back plate.



Norton Multi-Air Cyclonic Back-up Pads

Innovative design for optimal air flow and powerful dust extraction. It has been engineered with a durable, heat-resistant plastic, a molded-in 5/16"-24 spindle, and longer hooks.



| DESCRIPTION | GRIT | PART # | RPM |
|------------------------------|--------|---------------------|--------|
| Norton Multi-Air Back-up pad | Medium | 636425 06160 | 15,000 |
| Pkg/Case | | 1/5 | |

| DESCRIPTION | PART # |
|---------------|---------------------|
| Interface Pad | 076607 19359 |
| Pkg/Case | 12/1 |



Back-up Pads

Designed for use with PSA and hook and loop discs.

| DESCRIPTION | RPM | PART # |
|--|--------|----------------------|
| 3" Hook and Loop Back-Up Pad | 12,000 | 636425 06128 |
| 8" PSA Back-Up Pad | 6,000 | 636425 43112 |
| 8" x 5/8"-11 Hook and Loop Back-Up Pad | 4,800 | 636425 43704 |
| 8" VAC/Non-VAC Hook and Loop 5 Screw Back-Up Pad | 1,500 | 636425 43712* |
| Case | | 5 |
| Case | | *1 |



Foam Interface Pads

Designed for use with fine grit hook and loop sanding discs. Improves both surface finish and cut rate. Use with hook and loop disc back-up pads.

| DESCRIPTION | THICKNESS | PART # | PART # | PART # |
|----------------------------|-----------|---------------------|---------------------|---------------------|
| 3" Thin Foam Interface Pad | 1/2" | 636425 05457 | — | — |
| 6" Thin Foam Interface Pad | 1/2" | — | 636425 42089 | — |
| 5" Foam Interface Pad | 3/4" | — | — | 636425 02161 |
| 6" Foam Interface Pad | 3/4" | — | — | 636425 02162 |
| Pkg/Case | | 10/1 | 5/1 | 2/10 |



AVOS Speed-Lok Back-up Pads

Durable back-up pads designed for rugged use. Always follow safety procedures and never exceed the rpm.



**5" SPEED-LOK
BACK-UP PAD**

| DESCRIPTION | SIZE | RPM | PART # |
|------------------|-----------|--------|---------------------|
| For Pistol Grips | 3/8" -24 | 20,000 | 636425 03029 |
| | 7/16" -20 | 20,000 | 636425 03030 |
| Standard | 5/8" -11 | 13,000 | 636425 02517 |
| Case | | | 5 |



Back-up Pads for Grinding Discs

Discs are held in place by Retainer Nut.

| | RETAINER NUT | 5" x 7/8" | 7" x 7/8" | 9-1/8" x 7/8" |
|--------------|---------------------|---------------------|---------------------|---------------------|
| GRIT | PART # | PART # | PART # | PART # |
| Medium | — | 636425 43421 | 636425 43422 | 636425 43423 |
| RPM | | 10,000 RPM | 7,000 RPM | 8,600 RPM |
| Firm | — | — | 636425 43425 | — |
| RPM | | | 8,600 RPM | |
| Retainer Nut | 636425 43463 | — | — | — |
| Case | 1 | 1 | 1 | 1 |



Tack Cloths

A specially formulated soft cloth that effectively removes dust, dirt, and sanding residue. It contains no waxes or silicones, and is compatible with all paints. This cloth will not dry out and is always soft and tacky. It is spontaneous combustion proof, non-toxic and anti-static.

| DESCRIPTION | PART # |
|-------------|---------------------|
| Tack Cloth | 076607 49008 |
| Pkg/Case | 12/12 |



REVvive by RSG Accessories

REVvive by RSG is a line of non-abrasive products and accessories that compliment the use of vacuum assisted tools.



REVvive by RSG Contaminant Eliminator Pad
Named a COOL TOOL by Collision Hub!

<https://b.link/9xvdei>



Contaminant Eliminator Pad

Designed with advanced rubber polymer technology replacing the use of traditional clay bars that require reshaping, the pad glides along surfaces for sturdy and controlled handling and is cleaned by simply washing off with water. Safely and easily removes paint over spray, water spots, tree sap, brake and rail dust, and more. Can be used with a tool, hand or with the REVvive by RSG Hand Strap. Delivers a smooth and flawless shine in less time with greater efficiency and longevity.

| DESCRIPTION | PART # | CASE |
|---------------------------------|---------------------|------|
| 3.5" Contaminant Eliminator Pad | 666233 91332 | 12 |
| 6" Contaminant Eliminator Pad | 666233 91331 | 12 |
| 3.5" REVvive by RSG Hand Straps | 666233 91334 | 48 |
| 6" REVvive by RSG Hand Straps | 666233 91333 | 24 |



Vacuum Hand Blocks

Designed for use with vacuum abrasive sheet rolls. The REVvive by RSG dust-free hand blocks are flexible to easily conform to edges and curves.

| DESCRIPTION | PART # | CASE |
|-------------------------|---------------------|------|
| 125 x 70mm Vacuum Block | 666233 91381 | 1 |
| 200 x 70mm Vacuum Block | 666233 91382 | 1 |
| 400 x 70mm Vacuum Block | 666233 91383 | 1 |



Vacuum Hand Block Interface Pads

Matches hole design on the REVvive by RSG Vacuum Block. Use of an interface pad improves both surface finish and cut rate.


| DESCRIPTION | PART # | CASE |
|---------------------------------------|---------------------|------|
| 125 x 70mm Vacuum Block Interface Pad | 666233 91384 | 10 |



Eraser Wheel

Fast removal of pinstripes, adhesive, and decals without damage to the underlying surface. Wider than solid wheels for faster removal and greater control. Tractor wheel design resists heat buildup and reduces jumping and vibration. Use with an air-powered tool up to 4000 rpm.

| DESCRIPTION | PART # | CASE |
|---|---------------------|------|
| Premium Eraser Wheel 4" x 1" x 5/16"-24 | 666233 91380 | 1 |



Aerosols

REVvive by RSG Aerosols bring performance and quality together for the ideal spot repair solution.

Coatings

REVvive by RSG Coatings are ideal for restoring the original appearance in a cleaner, durable, corrosion-free solution that can be used on almost any surface.



E-Coat

- Super-durable coating provides outstanding corrosion protection
- Used as DTM primer or as a single coating to match the original OEM appearance
- Compatible with most basecoats
- Excellent adhesion over bare metal and paints and primers

| DESCRIPTION | COLOR | PART # | SIZE | CASE |
|-------------|-------------|---------------------|----------|------|
| e-Coat | Black | 666233 91015 | 12.6 oz | 6 |
| e-Coat | Gray | 666233 91016 | 12.7 oz | 6 |
| e-Coat | Olive Green | 666233 91017 | 12.8 oz | 6 |
| e-Coat | Light Green | 666233 91018 | 12.7 oz | 6 |
| e-Coat | Tan | 666233 91019 | 12.9 oz | 6 |
| e-Coat | White | 666233 91025 | 12.4 oz. | 6 |
| e-Coat | Olive Brown | 666233 91026 | 11.9 oz. | 6 |
| e-Coat | Dark Green | 666233 91027 | 11.9 oz. | 6 |
| e-Coat | Field Drab | 666233 91028 | 11.9 oz. | 6 |



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, aluminum, bare steel, galvanized, SMC, fiberglass, and polyester body filler.

Dry Guide Coat

- Identify surface defects when sanding fillers or primers
- Convenient aerosol application provides no waste and clean-up
- Dries instantly
- Does not clog abrasives
- Use when dry or wet sanding

| DESCRIPTION | COLOR | PART # | SIZE | CASE |
|----------------|-------|---------------------|---------|------|
| Dry Guide Coat | Black | 666233 91008 | 10.9 oz | 6 |



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, fiberglass, and polyester body filler.

Trim Black

- Restores trim back to original condition
- No adhesion promoter required
- Excellent coverage
- Maintains flexibility

| DESCRIPTION | PART # | SIZE | CASE |
|------------------|---------------------|---------|------|
| Satin Trim Black | 666233 91013 | 10.9 oz | 6 |
| Matte Trim Black | 666233 91014 | 11 oz | 6 |



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, lightly abraded E-Coat, TPO, EDPM, and polypropylene.



Rocker Panel Texture Coat

- A textured, durable coating to protect against stone chips, salt, damp and rust
- Includes two nozzles to recreate a variety of OEM textures
- Apply directly to sanded bare metal. For use on aluminum or galvanized, REVvive by RSG Acid Etch Primer is recommended
- High Build formulation covers seams and weld areas

| DESCRIPTION | COLOR | PART # | SIZE | CASE |
|---------------------------|-------|---------------------|---------|------|
| Rocker Panel Texture Coat | Gray | 666233 91011 | 13.2 oz | 6 |
| Rocker Panel Texture Coat | Black | 666233 91012 | 12.8 oz | 6 |



Premium Rubberized Undercoating

- Fast drying, paintable rubberized undercoating protects against stone chips and abrasion
- Non-sag, high rubber content coating with excellent build
- Texture matches OEM appearance
- Suited for wheel wells, trunks, lower body panels and underbodies
- Assists with sound deadening
- Substrates: bare metal or primed steel and aluminum (coated metal)

| DESCRIPTION | COLOR | PART # | SIZE | CASE |
|---------------------------------|-------|---------------------|----------|------|
| Premium Rubberized Undercoating | Black | 666233 91029 | 17.7 oz. | 6 |



Attachment Tape Adhesion Promoter

- Liquid primer to improve the adhesion of automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PC, etc.)
- The convenient dauber style container neatly dispenses the ideal amount of product for optimal adhesion

| DESCRIPTION | PART # | SIZE | CASE |
|-----------------------------------|---------------------|--------------|------|
| Attachment Tape Adhesion Promoter | 666233 91030 | 4 oz. Dauber | 6 |



Cavity Wax

- OEM approved corrosion protection for cavities and inner body panels
- Excellent crevice penetration
- Dries firm to touch with a slight tack
- Convenient aerosol can eliminates the need for spray equipment

Cavity Wax Applicator Wand

- Flexible design makes reaching difficult areas easy
- 360° tip designed for outstanding coverage
- Reduces mess

| DESCRIPTION | PART # | SIZE | CASE |
|----------------------------|---------------------|----------|------|
| Cavity Wax | 666233 91022 | 13.75 oz | 12 |
| Cavity Wax Applicator Wand | 666233 91023 | — | 1 |



REVvive by RSG Cavity Wax
Named a COOL TOOL by Collision Hub!

<https://b.link/66fo1n>



Primers

REVvive by RSG present a full line of Primers with exceptional adhesion and corrosion protection in an easy-to-sand, fast drying solution for all repairs.



Weld-Thru Primer

- Excellent adhesion
- High concentration of zinc or copper for greater corrosion protection
- Superior conductivity while Resistance Spot, MIG and TIG welding
- Fast drying for maximum efficiency

| DESCRIPTION | PART # | SIZE | CASE |
|-----------------------|---------------------|---------|------|
| Zinc Weld-Thru Primer | 666233 91000 | 12.5 oz | 6 |



SUBSTRATES:

Can be applied direct to metal, galvanized steel and aluminum.



High Build Primer

- Fills uneven surfaces prior to top coating
- Ideal for spot repairs
- Includes 2 nozzles - flat fan and round for versatility in film build
- Easy to sand

| DESCRIPTION | COLOR | PART # | SIZE | CASE |
|-------------------|-------|---------------------|-------|------|
| High Build Primer | Gray | 666233 91007 | 12 oz | 6 |



SUBSTRATES:

Can be applied directly to metal, prepared OEM painted surfaces, aluminum, galvanized steel, SMC, fiberglass, lightly abraded e-Coat, polyester body fillers, GRP.



Acid Etch Primer

- One-step etch and prime formula prevents corrosion and promotes paint adhesion
- For use priming bare metal surfaces
- Ideal for rub-throughs
- No sanding required- can be directly top-coated

| DESCRIPTION | COLOR | PART # | SIZE | CASE |
|------------------|-------|---------------------|---------|------|
| Acid Etch Primer | Gray | 666233 91010 | 12.9 oz | 6 |



SUBSTRATES:

Can be applied to fully cured paint, Aluminum, galvanized & zinc-coated steel, bare steel, polyester body fillers, GRP.



Cleaners

Cleaners from REVvive by RSG eliminate contaminants on all surfaces for a completely clean finish.



Surface Degreaser

- Anti-silicone degreaser
- Wipes clean without leaving surface residue
- Fast evaporating and ideal for spot repairs
- Use on bare metal and painted surfaces

| DESCRIPTION | PART # | SIZE | CASE |
|-------------------|---------------------|--------|------|
| Surface Degreaser | 666233 91009 | 9.9 oz | 6 |



SUBSTRATES:

Direct to metal, prepared OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded E-Coat.





Hyper Concentrates

REVvive by RSG Hyper Concentrates are ULTRA-CONCENTRATED car wash solutions that stay uniform in the bottle allowing you to pump without having to shake the bottle. The no-drip pump accurately dispenses the perfect amount per spray bottle, eliminating the need for any dilution system saving space and reducing the chances of mess. This new technology transforms bulky 5-gallon concentrates into low viscosity 64oz containers giving you more cleaning power in much smaller footprint. One 64oz pail contains the SAME amount of product in a 5-gallon bucket saving space. One 64oz pail contains solution to fill 96 spray bottles. The REVvive by RSG Hyper Concentrate line is environmentally safe formulas (Prop 65 and VOC-compliant).



Degreaser

Powerful exterior degreaser that rapidly cleans the toughest dirt and stains. Quickly removes grease, tar, bugs and grime from engines, floors, and underbodies.



| DESCRIPTION | COLOR | SCENT | PART # | SIZE | CASE |
|-----------------------------|-------|-------|---------------------|--------|------|
| Hyper Concentrate Degreaser | Green | Apple | 666233 91104 | 64 oz. | 4 |

All-Purpose Cleaner

All-in-one organic interior and exterior cleaner that rapidly eliminates the toughest stains, grease, oil, dirt, and odors from all surfaces.



| DESCRIPTION | COLOR | SCENT | PART # | SIZE | CASE |
|---------------------------------------|--------|--------|---------------------|--------|------|
| Hyper Concentrate All-Purpose Cleaner | Yellow | Citrus | 666233 91103 | 64 oz. | 4 |

Wheel Cleaner

Strong environmentally safe wheel cleaner removes oxidation, brake dust, tar, and tough dirt. Safe for clear coated, painted, aluminum, and magnesium rims. Does not contain hydrofluoric or sulfuric acids.



| DESCRIPTION | COLOR | SCENT | PART # | SIZE | CASE |
|---------------------------------|---------|-------|---------------------|--------|------|
| Hyper Concentrate Wheel Cleaner | Magenta | — | 780727 75495 | 64 oz. | 4 |

Soap

Highly concentrated, pH balanced formula delivers full-bodied foaming lather that easily removes grime, road film, and dirt without dulling painted finish.



| DESCRIPTION | COLOR | SCENT | PART # | SIZE | CASE |
|------------------------|-------|--------|---------------------|--------|------|
| Hyper Concentrate Soap | Red | Cherry | 666233 91100 | 64 oz. | 4 |



Glass Cleaner

Alcohol based, ammonia free, non-streaking, fog and smudge resistant formula works great on windshields, mirrors, plastic, and headlights.

| DESCRIPTION | COLOR | SCENT | PART # | SIZE | CASE |
|---------------------------------|-------|-------|---------------------|--------|------|
| Hyper Concentrate Glass Cleaner | Blue | None | 666233 91102 | 64 oz. | 4 |



Spray Bottle

For use with REVvive by RSG Hyper Concentrates, this 32-ounce handy hold spray bottle is OSHA compliant and has a chemical resistant sprayer.

| DESCRIPTION | PART # | SIZE | CASE |
|--------------------------------|---------------------|--------|------|
| Hyper Concentrate Spray Bottle | 666233 91105 | 32 oz. | 24 |



Hyper Concentrate Pump

For use with REVvive by RSG Hyper Concentrates this no-drip pump accurately dispenses concentrates into 32 ounce secondary bottles. The REVvive by RSG Hyper Concentrate Pump delivers 2 – 3 ounces of product per pump when adding the chemical to the dilution with the water for a 32-ounce spray bottle of chemical.

| DESCRIPTION | PART # | SIZE | CASE |
|------------------------|---------------------|------|------|
| Hyper Concentrate Pump | 666233 91106 | — | 24 |



SCAN THIS CODE
to see these items in action!

[HTTPS://QRS.LY/H3EHKVR](https://qrs.ly/H3EHKVR)



Farécla buffing pads have a unique CCS waffle design that resolves the common problems of the traditional waffle.

Benefits of CCS Design

- Slower rate of absorption enhancing polish performance
- Gradually releases compound as needed by the operator, enhancing pad and compound performance
- Reduces surface contact resulting in less friction generated heat
- Diminishes surface friction allowing operator to run pad flat preventing skipping

Three Proven Professional Foam Formulations:

- White Cutting Foam— for removing sanding scratches, deep scratches, oxidation, and weathered paint
- Black Polishing Foam— to remove light swirl marks
- Blue Finishing Foam— for use with a final polish or glaze to create exceptional shine



Single-Sided Pads

Farécla Single-Sided Pads have a beveled edge design to allow access under trim and improve user control. The recessed back provides accurate alignment for balance and protects against backing plate contact.

Back-Up Plates

The Farécla back-up plate is intended for use with the single-sided foam pads.

- High strength molded urethane construction absorbs heat while enabling flexibility over the surface
- Edge design allows for pads to attach securely yet fast and easy changes
- Composed with plated steel insert for maximum durability

| DESCRIPTION | PART # | CASE |
|--|---------------------|------|
| 8" Single-Sided Pads | | |
| 8" Single-Sided CCS Waffle Foam Pad - White | 666233 91306 | 6 |
| 8" Single-Sided CCS Waffle Foam Pad - Black | 666233 91307 | 6 |
| 8" Single-Sided CCS Waffle Foam Pad - Blue | 666233 91308 | 6 |
| 8" Single-Sided Cutting Wool Pad | 666233 91315 | 6 |
| 8" Back-up Plate | 666233 91314 | 6 |
| 3.5" Single-Sided Pads | | |
| 3.5" Single-Sided CCS Waffle Cutting Foam Pad- Orange | 666233 91319 | 6 |
| 3.5" Single-Sided CCS Waffle Polishing Foam Pad- Black | 666233 91320 | 6 |
| 3.5" Single-Sided CCS Waffle Finishing Foam Pad- Blue | 666233 91321 | 6 |
| 3.5" Single-Sided Cutting Wool Pad | 666233 91318 | 6 |
| 3.5" Back Up Plate | 666233 91316 | 6 |

Double-Sided Pads

Farécla Double-Sided Pads have a highly engineered center plate designed to minimize pad hop or chatter with the perfect amount of flexibility when buffing contours. The Farécla Double-Sided Pads are designed with an easy to use connection system that allows the technician to effortlessly change pads to get the job done quickly, saving time and effort.

Wool Pad

The Farécla Double-Sided Wool Pad is a 100% steamed and twisted white wool designed to eliminate severe swirls, scratches or heavy oxidation from sanded or wet sanded refinished paint surfaces.



| DESCRIPTION | PART # | CASE |
|--|---------------------|------|
| 8" Double-Sided CCS Waffle Foam Pad - White | 666233 91310 | 6 |
| 8" Double-Sided CCS Waffle Foam Pad - Black | 666233 91311 | 6 |
| 8" Double-Sided CCS Waffle Foam Pad - Blue | 666233 91312 | 6 |
| 8" Double-Sided CCS Cut-Polish Waffle Foam Pad | 662544 35696 | 6 |
| Double-Sided Pad Adapter | 666233 91313 | 6 |
| 8" Double-Sided Cutting Wool Pad | 666233 91309 | 6 |
| 8" Double-Sided CCS Waffle Foam Cut-Polish Pad - Black & White | 662544 35696 | 6 |
| Accessories | | |
| Double Sided Pad Adapter - Quick Connect | 666233 91330 | 6 |



Super Fast. Super Easy!

Farécla G360 is a radical new polishing system. Farécla G360 Compound and Finish and Farecla buff pads are the perfect combination.



G360 Super Fast Compound

G360 Super Fast Compound easily glides over the surface while rapidly cutting to remove P1200 sanding marks- saving time and money. Transparent in use, the operator is able to see these marks disappear permanently.

- Removes P1200 or finer scratches
- Use on all refinish clear coats and OEM paint
- Heavy viscosity for reduced sling and easy clean-up
- Easy glide technology

| DESCRIPTION | PART # | CASE |
|----------------------------------|---------------------|------|
| Farécla G360 Super Fast Compound | 666233 90600 | 6 |



G360 Super Fast Finish

G360 Super Fast Finish easily eliminates swirl marks and other minor defects rapidly and with little effort, leaving an enhanced deep gloss finish. Transparent in use, the operator is able to see the permanent results.

Ideal for darker colors, after using G360 Super Fast Compound system.

- Ultra high gloss finish
- Eliminates swirl marks and fine scratches
- Transparent in use
- Minimal wiping

| DESCRIPTION | SIZE | PART # | CASE |
|--------------------------------|---------|---------------------|------|
| Farécla G360 Super Fast Finish | 1 Liter | 666233 90601 | 6 |



Detail Spray

Farecla Clean & Protect Detail Spray is a non-hazardous, silicone- and VOC-free product that offers immense cleaning power and leaves a long lasting protective layer on the surface. Rapidly removes compound, residue, dust, fingerprints, and other contaminants from paint, gel coats, glass, and plastics.

- Easy-to-use product with a great smell
- Silicone and VOC free formula
- Does not leave streaks or residue
- High gloss finish with long-lasting protection

| DESCRIPTION | SIZE | PART # | CASE |
|------------------------------|---------|---------------------|------|
| Clean & Protect Detail Spray | 1 Liter | 780727 66935 | 6 |



Microfiber Towels

| DESCRIPTION | COLOR | PART # | CASE |
|--------------------------------------|-------|---------------------|------|
| Farécla All-Purpose Microfiber Towel | Blue | 666233 91497 | 10 |
| Farécla Detail Microfiber Towel | Grey | 666233 91496 | 25 |



Crash Tested. OEM Approved.

Fusor® Repair Adhesives product line is known for its innovative OEM approved products and expertise in providing collision repair adhesive solutions. Fusor's leading adhesives, sealers and plastic repair solutions combined with the product portfolio and strong sales team of the Refinish Solutions Group provide you with a one-stop, comprehensive refinishing solutions system to increase productivity, reduce cycle time and improve quality.

| PART # | DESCRIPTION | WORK TIME | HANDLING / CLAMP TIME | PAINT TIME | FULL CURE | SUBSTRATES | CHEMISTRY | COLOR |
|--|--|--|-------------------------------------|--------------------------------------|-----------------------------------|-----------------------------|------------|-------|
| 666233 90978 808498 10007 | Fusor 110B/111B Metal Bonding Adhesive (Fast) | 5 minutes | 20 minutes | — | 2 hours | Steel and aluminum | Acrylic 2K | Green |
| 666233 90969 808498 10006 | Fusor 108B/109B Metal Bonding Adhesive (Med.) | 40 minutes | 2 hours | — | 4 hours | Steel and aluminum | Acrylic 2K | Green |
| 666233 90970 | Fusor 112B Metal Bonding Adhesive (Slow) | 70 minutes/ 35 minutes @ 90°F (32°C) | 3 hours | — | 8 hours | Steel and aluminum | Acrylic 2K | Gray |
| 666233 90983 | Fusor 208B Panel Bonding Adhesive (Slow) | 90 minutes | 4 hours / 30 minutes @ 140°F (60°C) | Immediately | 24 hours / 1 hour @ 140°F (60°C) | Steel, aluminum and SMC/FRP | Epoxy 2K | Gray |
| 666233 90982 | Fusor 209B Crash Durable Structural Adhesive (Slow) | 90 minutes | 6 hours / 30 minutes @ 140°F (60°C) | 24 hours / 30 minutes @ 140°F (60°C) | 24 hours / 2 hours @ 140°F (60°C) | Steel, aluminum, FRP | Epoxy 2K | Blue |

Technical data reported @ 70°F (21°C) unless noted.



Metal Bonding Adhesive (Fast) | BARE METAL

Applications: Patch panel bonding and weld bonding of properly prepared dissimilar metals, cab corners, panel sections and aluminum trailer repair patches.

Features & Benefits:

- Fast cure
- No welding required
- Guaranteed corrosion protection

OEM Approvals & Recommendations:

Honda: In-plant repair, collision repair
Acura: Collision repair

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Green | 110B | 666233 90978 | 6 |
| 1.7 oz (50 mL) | Green | 111B | 808498 10007 | 12 |



Metal Bonding Adhesive (Medium) | BARE METAL

Applications: Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels.

Features & Benefits:

- 6 to 8 times faster than epoxy or urethane panel bonders
- No welding required
- Guaranteed corrosion protection
- Can be riveted and resistance welded

OEM Approvals & Recommendations:

GM, Mazda, Nissan, Ford, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Green | 108B | 666233 90969 | 6 |
| 1.7 oz (50 mL) | Green | 109B | 808498 10006 | 12 |



Metal Bonding Adhesive (Slow) | BARE METAL

Applications: Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels.

Features & Benefits:

- Long open time for large panel replacement
- Ideal for hot temperature conditions
- Guaranteed corrosion protection
- Can be riveted and resistance welded

OEM Approvals & Recommendations:

Chrysler, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Gray | 112B | 666233 90970 | 6 |



Panel Bonding Adhesive (Slow) | BARE METAL

Applications: Metal and plastic panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels.

Features & Benefits:

- Paint and sand with no need to remove adhesive squeeze out
- Low odor
- Bonds plastic, e-coat and bare metals
- Excellent corrosion protection

OEM Approvals & Recommendations:

Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Gray | 208B | 666233 90983 | 6 |



Crash Durable Structural Adhesive (Slow) | BARE METAL

Applications: Metal and plastic panel bonding, weld and rivet bonding of replacement structural and non-structural auto body panels.

Features & Benefits:

- Higher impact strength performance
- Excellent corrosion protection
- Versatile and easy to use
- Bonds plastic, e-coat and bare metals
- Weld immediately

OEM Approvals & Recommendations:

GM/ Fiat, PSA Peugeot, Tesla, Chrysler, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Blue | 2098 | 666233 90982 | 6 |

Use Fusor 420 Mixing Tip.

| PART # | DESCRIPTION | WORK TIME | CLAMP TIME | SAND TIME | PAINT TIME | SUBSTRATES | CHEMISTRY | COLOR |
|--|--|------------|--|----------------------------------|--|---|-------------|-----------|
| 666233 90981 808498 10169 | Fusor 132/133 Plastic Repair Adhesive (Super Fast) | 1 minute | 10 minutes | 10 minutes | 10 minutes | All types of plastic, SMC or fiberglass, ecoat, primed and painted metals | Urethane 2K | Black |
| 666233 90963 808498 10030 | Fusor 142/143 Plastic Repair Adhesive (Fast) | 1 minute | 10 minutes | 20 minutes | 30 minutes | All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals | Urethane 2K | Black |
| 666233 90976 | Fusor 152 Plastic Repair Adhesive (Medium) | 3 minutes | 30 min / 5 min @ 140°F (60°C) | 90 min / 3 min @ 140°F (60°C) | 2 hours / 60 min with heat cure | All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals | Urethane 2K | Black |
| 666233 90980 | Fusor 114LG Plastic Finishing Adhesive (Fast) | 2 minutes | — | 20 minutes | 60 minutes | Finishing adhesive for all plastics including PP, fiberglass, Metton®, Telene®, SMC, TEO, urethane and carbon fiber | Epoxy 2K | Red |
| 666233 90967 808498 10001 | Fusor 100EZ/101EZ Plastic Repair Adhesive (Heat Set) | 40 minutes | — | 10 minutes @ 180°F (82°C) | 60 minutes @ 180°F (82°C) | All types of rigid body plastics such as SMC, GTX, fiberglass, Metton® and carbon fiber | Epoxy 2K | Beige |
| 666233 90962 808498 10015 | Fusor 141/140 Clear Plastic Bonding Adhesive (Fast) | 1 minute | 5 minutes | 30 minutes | 30 minutes | Plastics, primed and painted metals, glass, wood and other surfaces | Urethane 2K | Clear |
| 666233 90964 | Fusor 147 Plastic Bonding Adhesive (Medium) | 5 minutes | 90 min / 15 minutes @ 140°F (60°C) | — | 90 minutes / 15 minutes @ 140°F (60°C) | SMC, fiberglass, carbon fiber and other plastics to itself and primed metal | Urethane 2K | Brown |
| 666233 90960 | Fusor 127EZ Plastic Bonding Adhesive (Slow) | 50 minutes | 5 hours / 30 minutes @ 140°F (60°C) | — | 4 hours / 30 minutes @ 140°F (60°C) | SMC, fiberglass, carbon fiber and other plastics to itself and primed metal | Urethane 2K | Off White |
| 808498 10038 | Fusor T21 Composite Adhesive (Slow) | 45 minutes | 4 hours / 20 minutes @ 180°F (82°C) | 60 minutes @ 180°F (82°C) | 60 minutes @ 180°F (82°C) | Plastics, SMC and fiberglass to itself and primed metals | Epoxy 2K | Gray |
| 666233 90966 | Fusor T22 Truck Plastic Bonding Adhesive (Fast) | 5 minutes | 60 minutes / 15 minutes @ 140°F (60°C) | — | — | SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal | Urethane 2K | Beige |
| 666233 90975 | Fusor T23 Truck Plastic Bonding Adhesive (Medium) | 20 minutes | 3 hours / 22 minutes @ 140°F (60°C) | — | — | SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal | Urethane 2K | Beige |

Technical data reported @ 70°F (21°C) unless noted.

Plastic Repair Adhesive (Super Fast) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs.

Features & Benefits:

- No need for plastic identification with use of Fusor 602EZ
- Sand and paint in 10 minutes
- Faster than plastic welding
- Stronger than stapling
- One product for all plastic repairs
- Undetectable feather edge

OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura



| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Black | 132 | 666233 90981 | 6 |
| 1.7 oz (50 mL) | Black | 133 | 808498 10169 | 12 |



Plastic Repair Adhesive (Fast) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs.

Features & Benefits:

- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ

OEM Approvals & Recommendations:

Ford, GM, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Black | 142 | 666233 90963 | 6 |
| 1.7 oz (50 mL) | Black | 143 | 808498 10030 | 12 |



Plastic Repair Adhesive (Medium) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs.

Features & Benefits:

- Enough work time for larger repairs; ideal for hot temperature conditions
- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ
- On demand cure with heat

OEM Approvals & Recommendations:

Ford, GM, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Black | 152 | 666233 90976 | 6 |



Plastic Finishing Adhesive (Fast) | SANDABLE

Applications: Finishing adhesive for cosmetic repair of all plastic bumpers and body panels.

Features & Benefits:

- No plastic identification is required
- No adhesion promoters needed
- Epoxy formula sands to a perfect feather edge in 20 minutes or less
- Use with or without mixing tip

OEM Approvals & Recommendations:

Chrysler/Fiat, GM, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Red | 114LG | 666233 90980 | 6 |



Plastic Repair Adhesive (Heat Set) | SANDABLE

Applications: Structural and cosmetic repair of auto and heavy duty truck composite, fiberglass, SMC and carbon fiber panels.

Features & Benefits:

- One product for all body panels
- Easily sands to a feather edge to provide undetectable repairs
- No bull's-eyes, read-throughs or halos

OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Nissan, Volvo Truck

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Beige | 100EZ | 666233 90967 | 6 |
| 1.7 oz (50 mL) | Beige | 101EZ | 808498 10001 | 12 |

Use Fusor 702 Fiberglass Cloth.



Clear Plastic Bonding Adhesive (Fast) | SANDABLE

Applications: Rebuild bumper and headlight tabs, bond emblems, body side moldings, plastic backer panels, decorative vents, wheel opening moldings, rear wind deflectors and ground effects.

Features & Benefits:

- Clear urethane, non-yellowing structural adhesive
- Fast cure
- High-strength, flexible bond

OEM Approvals & Recommendations:

Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Clear | 141 | 666233 90962 | 6 |
| 1.7 oz (50 mL) | Clear | 140 | 808498 10015 | 12 |



Plastic Bonding Adhesive (Medium) | SANDABLE

Applications: Installation and bonding of small body panels, spoilers, ground effects and headlight buckets.

Features & Benefits:

- High-strength structural adhesive
- Easy to gun, urethane non-sag formula
- Provides faster cure time for smaller interior and exterior parts

OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Brown | 147 | 666233 90964 | 6 |



Plastic Bonding Adhesive (Slow) | SANDABLE

Applications: Plastic body panels, spoilers and ground effects; excellent for cab extenders, wood and other surfaces.

Features & Benefits:

- High-strength urethane structural adhesive
- Provides enough work time for bonding large primed metal or plastic parts
- Easy to gun, non-sag formula

OEM Approvals & Recommendations:

GM

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-----------|---------|---------------------|------|
| 7.1 oz (210 mL) | Off White | 127EZ | 666233 90960 | 6 |



Composite Adhesive (Slow) | SANDABLE

Applications: Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears.

Features & Benefits:

- One product bonds and finishes all plastic panels
- OEM epoxy formula
- Great for heavy-duty truck repair
- High strength
- Excellent gap-filling properties

OEM Approvals & Recommendations:

Ford, GM, Kenworth, Mack, Navistar, Paccar, Peterbilt, Volvo Truck

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Gray | T21 | 666233 90965 | 6 |

Use Fusor 420 Mixing Tip.



Truck Plastic Bonding Adhesive (Fast) | STRUCTURAL

Applications: Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels.

Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

OEM Approvals & Recommendations:

Kenworth, Peterbilt

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Beige | T22 | 666233 90966 | 6 |



Truck Plastic Bonding Adhesive (Medium) | STRUCTURAL

Applications: Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels.

Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

OEM Approvals & Recommendations:

Kenworth, Peterbilt

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Beige | T23 | 666233 90975 | 6 |



| PART # | DESCRIPTION | WORK TIME | SKIN TIME | FULL EXPANSION | SAND TIME | PAINT TIME | SUBSTRATES | CHEMISTRY | COLOR |
|--|---|---|-------------------|----------------|---------------|--|---|------------------------------------|-------------------------|
| 666233 90973 808498 10037 | Fusor 123/126 Non-Sag Seam Sealer (Fast) | 3 minutes | — | — | — | 10 minutes (Paint within 24 hours or scuff before painting) | Bare metal or primed surfaces | Urethane 2K | White |
| 666233 90984 | Fusor 123SL Non-Sag Seam Sealer (Slow) | 45 minutes | — | — | — | 90 minutes (Paint within 24 hours or scuff before painting) | Bare metal or primed surfaces | Urethane 2K | White |
| 666233 90974 | Fusor 123EZ Non-Sag Seam Sealer (Medium) | 10 minutes / 5 minutes @ 90°F(32°C) | — | — | 30 minutes | 30 minutes | Apply over 2K primer | Epoxy 2K | Blue |
| 666233 90979 | Fusor 019 Bare Metal Brushable Seam Sealer (Medium) | 6 minutes | — | — | 10 minutes | 10 minutes (Paint within 24 hours) | Bare metal | Acrylic 2K | Green |
| 666233 90961 | Fusor 129 Controlled Flow Seam Sealer (Fast) | 5 minutes | — | — | 30 minutes | 30 minutes | Bare metal | Epoxy 2K | Beige |
| 666233 90972 | Fusor 122EZ Self-Leveling Seam Sealer (Medium) | 8 minutes | — | — | 30 minutes | 30 minutes | Apply over 2K primers | Epoxy 2K | Blue |
| 808498 10170 666233 90996 808498 10171 | Fusor 800DTM/ 801DTM/803DTM Direct-To-Metal Sealer | — | 25 min, 50% RH | — | — | Immediately or up to 30 days without a scuff (Test with paint system) | Bare metal, cold rolled steel, ecoat and aluminum | Silane Terminated Polymer 1K | Neutral/ White/Black |
| 808498 10002 808498 10003 808498 10004 808498 10009 | Fusor 802HD Plus/ 804HD Plus/805HD Plus/806HD Plus HD Plus Sprayable Seam Sealers | | | | | | | | |
| 666233 90971 808498 10011 | Fusor 121/124 Flexible Foam (Super Fast) | 10 seconds | — | 3 minutes | — | 10 minutes | Apply over 2K primers | Urethane 2K | Black |
| 666233 90977 | Fusor 130 Rigid Foam (Super Fast) | 25 seconds | — | 4 minutes | — | 10 minutes | Apply over 2K primers | Urethane 2K | Beige |
| 666233 90985 | Fusor 231 Sound Dampening Material (Slow) | 60 minutes | | | | | Bare metal or over 2K primed metal | Urethane 2K | Black |

Technical data reported @ 70°F (21°C) unless noted.



Non-Sag Seam Sealer (Fast) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where fast work time is desired.

Features & Benefits:

- Duplicates factory appearance
- Gets the job done in 10 minutes
- Bright white color
- Can be used without primer

OEM Approvals & Recommendations:

Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | White | 123 | 666233 90973 | 6 |
| 1.7 oz (50 mL) | White | 126 | 808498 10037 | 12 |



Non-Sag Seam Sealer (Slow) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application requiring a longer work time, non-sag cosmetic seam sealer, or where high ambient temperatures are encountered.

Features & Benefits:

- Duplicates factory appearance
- Longer work time

OEM Approvals & Recommendations:

Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | White | 123SL | 666233 90984 | 6 |



Non-Sag Seam Sealer (Medium) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where longer work time is desired.

Features & Benefits:

- Duplicates factory appearance
- Longer work time
- Sandable

OEM Approvals & Recommendations:

GM, Ford, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Blue | 123EZ | 666233 90974 | 6 |



Bare Metal Brushable Seam Sealer (Medium) | BARE METAL SEALER

Applications: Truck bed seams, tooled door skin seams, floor pan seams, core support seams and other applications where bare metal, brushable cosmetic seam sealer is required.

Features & Benefits:

- Acrylic formula provides corrosion protection
- Perfect match to OEM brushed appearance

OEM Approvals & Recommendations:

Chrysler/Fiat, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Green | 019 | 666233 90979 | 6 |



Controlled Flow Seam Sealer (Fast) | CONTROLLED FLOW

Applications: Excellent for roof channels, door seams, drip rails and truck bed floor seams and trunk seams.

Features & Benefits:

- Epoxy formula provides smooth continuous beads with no gun lines
- No tooling required for factory look
- Sandable
- Can be used with or without primer

OEM Approvals & Recommendations:

Ford, Chrysler/Fiat, GM, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Beige | 129 | 666233 90961 | 6 |



Self-Leveling Seam Sealer (Medium) | FLOWABLE

Applications: Drip rails, trunks, core support to aprons, roof seams and quarter panel to rear deck.

Features & Benefits:

- Perfectly matches factory flow-grade seams
- No tooling required
- Permanently flexible
- Sandable
- Color changes to indicate cure

OEM Approvals & Recommendations:

Ford, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Blue | 122EZ | 666233 90972 | 6 |



Sound Dampening Material (Slow) | NOISE VIBRATION DAMPENING

Applications: Sound dampening and sealing of: roof bows and roof skin, door skin and intrusion beam, quarter panel and inner structure, hoods and deck lids to inner structure. Ideal for overhead and vertical applications where a non-sag material is required.

Features & Benefits:

- Matches OEM performance
- Flexible seal with no shrinkage or read-through; non-expanding
- Extended work time for large applications
- Non-sag formula remains in position on vertical and overhead surfaces
- Excellent adhesion to metal, e-coat and existing NVH materials

OEM Approvals & Recommendations:

Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Black | 231 | 666233 90985 | 6 |



Direct-To-Metal Sealer | BARE METAL

Applications: Duplicates factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and brushed seams and any other application in which a non-sag cosmetic seam sealer is required.

Features & Benefits:

- Single component direct-to-metal; no substrate primer required
- Non-sag
- Holds brush marks without die back
- Weld-thru with no burn back

OEM Approvals & Recommendations:

Ford, GM, Honda/Acura, Nissan, Volvo Truck

| SIZE | COLOR | FUSOR # | PART # | CASE |
|----------------|---------|---------|---------------------|------|
| 10 oz (296 mL) | Neutral | 800DTM | 808498 10170 | 12 |
| 10 oz (296 mL) | White | 801DTM | 666233 90996 | 12 |
| 10 oz (296 mL) | Black | 803DTM | 808498 10171 | 12 |



HD Plus Sprayable Seam Sealers

Applications: Creates flexible textured seams on floor pans, trunk pans and strut towers.

Substrates:

- Bare Metal, Primed Metals, SMC,
- Fiberglass, Epoxy and urethane primers

OEM Approvals & Recommendations:

- Chrysler/Fiat, Ford, GM, Honda/Acura

Features & Benefits:

- Extremely flexible – won't crack or peel
- Perfectly matches all OEM seams and textures with use of Fusor 312
- Sprayable Seam Sealer Applicator

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|------------|---------------------|------|
| 9.5 oz (281 mL) | White | 802HD Plus | 808498 10002 | 12 |
| 9.5 oz (281 mL) | Gray | 804HD Plus | 808498 10003 | 12 |
| 9.5 oz (281 mL) | Black | 805HD Plus | 808498 10004 | 12 |
| 9.5 oz (281 mL) | Beige | 806HD Plus | 808498 10009 | 12 |



Flexible Foam (Super Fast) | FLEXIBLE

Applications: Sound deadening, sealing and filling of: door skins to crash bar, hood panel to supports, trunk panel to supports and gas tank filler area.

Features & Benefits:

- Matches OEM sound deadening foams
- Retains its memory with no shrinkage
- Expands to 10 times its size
- Will not absorb moisture or cause corrosion

OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura,
Tesla, Volvo Truck

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Black | 121 | 666233 90971 | 6 |
| 1.7 oz (50 mL) | Black | 124 | 808498 10011 | 12 |



Rigid Foam (Super Fast) | RIGID

Applications: Sound deadening, vibration dampening, reinforcement, sealing and filling of: fender rails, pillars, rocker panels, quarter panels and floors.

Features & Benefits:

- Matches OEM sound deadening foams commonly found in pillars, front rails, rockers and rear supports
- Expands to 10 times its size
- Provides NVH properties for a quieter ride
- Tough compressive strength for maximum energy absorption
- Super fast application, providing full foam expansion in 4 minutes

OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, Honda/Acura

| SIZE | COLOR | FUSOR # | PART # | CASE |
|-----------------|-------|---------|---------------------|------|
| 7.1 oz (210 mL) | Beige | 130 | 666233 90977 | 6 |



Specialty Products/Accessories



Surface Modifier

Applications: Increases adhesion for plastic bumper repair and painting plastic parts. Also improves adhesion for double-sided tapes and seam sealing tapes.

Features & Benefits:

- Open time from 10 minutes to 24 hours
- California compliant
- No need for plastic identification when used with Fusor 132/133, 142/143, 152/153 or 141/140 adhesives
- Increases adhesion when used with Fusor 180/181/182

Substrates:

All plastic bumper covers, emblems, moldings and primed or painted metals

OEM Recommended

| SIZE | FUSOR # | PART # | CASE |
|---------------|---------|---------------------|------|
| 9 oz (255 mL) | 602EZ | 808498 10121 | 6 |



Reinforcing Mesh

Applications: Use for backing patches, bumper tabs and other reinforcements on plastic bumper covers.

Features & Benefits:

- Use with Fusor 132/133, 142/143, 152/153, 141/140 adhesives
- Use with Fusor 602EZ
- Use with Fusor 704 roller
- Finish with Fusor 114LG/114SM adhesive

Substrates:

Plastic bumpers, bumper tabs

| SIZE | FUSOR # | PART # | CASE |
|-----------------------------|---------|---------------------|------|
| 4" x 12' (101.6 mm x 3.7 m) | 700 | 808498 10023 | 12 |



Fiberglass Cloth

Applications: Use for structural backing support, pyramid patches and other reinforcements on SMC and fiberglass panels.

Features & Benefits:

- Helps eliminate bull's-eyes in SMC repair
- Use with Fusor 100EZ/101EZ, 120/T20 and T21 adhesives
- Use with Fusor 704 roller

Substrates:

SMC, Fiberglass

| SIZE | FUSOR # | PART # | CASE |
|-----------------------------|---------|---------------------|------|
| 4" x 12' (101.6 mm x 3.7 m) | 702 | 808498 10025 | 12 |



Adhesion Prep/Cleaner

Applications: Removes silicones and contaminants. Use prior to applying adhesives, sealers and coatings. Removes brake dust from wheels.

| SIZE | FUSOR # | PART # | CASE |
|------------------|---------|---------------------|------|
| 32 oz (946.3 mL) | 703 | 808498 10026 | 12 |

Specialty Products/Accessories



Saturation Roller

Applications: Use with Fusor 700 and 702 for maximum adhesive saturation.

Features & Benefits:

- 3" (76.2 mm) anodized aluminum
- Ideal for building SMC patch panel repairs
- Helps compact the surface for strong repairs

| SIZE | FUSOR # | PART # | CASE |
|---------------------|---------|---------------------|------|
| 3" (76.2 mm) Roller | 704 | 808498 10027 | 6 |



Manual 50 mL Dispensing Gun

Applications: Use with 1.7 oz (50 mL) cartridges, which go with Fusor 400 mix tip.

Features & Benefits:

- Dispenses both 1:1 and 2:1 cartridges with no conversion necessary
- Sturdy, high-quality, compact

| SIZE | FUSOR # | PART # | CASE |
|----------------------|---------|---------------------|------|
| 50 mL Dispensing Gun | 300 | 808498 10019 | 1 |



High Performance Manual Dispensing Gun

Applications: For use with 10.1/7.6 oz (210 mL) cartridges.

Features & Benefits:

- Dispenses 1:1 and 2:1 cartridges
- Sturdy, high quality, compact
- 26:1 thrust ratio allows for easy dispensing of high viscosity adhesive
- Easily accommodates cartridges with different nose styles
- Simplistic design allows for easy cartridge insertion and ejection
- Composite supports provide excellent cartridge stability
- Conversion plunger is securely attached to rear of applicator

| SIZE | FUSOR # | PART # | CASE |
|--------|---------|---------------------|------|
| 210 mL | 502 | 666233 90987 | 1 |



High Performance Pneumatic Dispensing Gun

Applications: For use 7.1 oz (210 mL) cartridges.

Features & Benefits:

- Dispenses 1:1 and 2:1 cartridges
- One finger forward and reverse operation
- Composite support provide excellent cartridge stability
- For fast and easy application of long beads

| SIZE | FUSOR # | PART # | CASE |
|-----------------|---------|---------------------|------|
| 7.1 oz (210 mL) | 504 | 666233 90988 | 1 |



Sprayable Seam Sealer Gun

Applications: For use with Fusor HD sealers.

Features & Benefits:

- When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications
- Material and air flow adjustment controls allow for factory match seams

| SIZE | FUSOR # | PART # | CASE |
|------|---------|---------------------|------|
| — | 312 | 808498 10111 | 1 |

Specialty Products/Accessories



One-Component Manual Seam Sealer Gun

Applications: For use with Fusor DTM sealers.

Features & Benefits:

- B-Line 1/10th gallon cartridge gun with smooth high-powered 26:1 thrust ratio
- Excellent for all sealants – especially handy for thicker materials and in cold weather

| SIZE | FUSOR # | PART # | CASE |
|------|---------|---------------------|------|
| — | 313 | 808498 10146 | 1 |



Red Power 50 mL Cartridges Mixing Tips

Applications: For use with all 1:1 and 2:1, 1.7 oz (50 mL) cartridges, which go with Fusor 300 dispensing gun.

Features & Benefits:

- Size: 0.21" x 4.5" x 24-element (5.3 mm x 114.3 mm x 24-element)
- Bayonet mount

| SIZE | FUSOR # | PART # | CASE |
|---------------|---------|---------------------|------|
| Standard Pack | 400 | 808498 10076 | 12 |



Red Power 210 mL Cartridges Mixing Tips

Applications: For use with all 1:1 and 2:1, 7.6 oz. (210mL) cartridges (except for Fusor 120/T20, T21, T23, and 2098 which use the #420 Red Power Mixing Tip).

Features & Benefits:

- Size: 0.34" x 5.8" x 24-element (8.6 mm x 147.3 mm x 24-element)

| SIZE | FUSOR # | PART # | CASE |
|---------------|---------|---------------------|------|
| Standard Pack | 401T | 666233 90990 | 12 |



Nozzle For 800 Series Sealer

Applications: For use with Fusor HD and DTM sealers.

Features & Benefits:

- Threaded replacement nozzles for caulking tubes

| SIZE | FUSOR # | PART # | CASE |
|------|---------|---------------------|------|
| — | 412EZ | 808498 10130 | 12 |

| PART # | PAGE | PART # | PAGE | PART # | PAGE | PART # | PAGE |
|-------------|------|-------------|------------|-------------|------|-------------|------|
| 07660700256 | 33 | 63642503728 | 54 | 63642506179 | 10 | 63642542770 | 52 |
| 07660700257 | 33 | 63642503729 | 54 | 63642506182 | 10 | 63642542772 | 52 |
| 07660700322 | 33 | 63642504402 | 18 | 63642506194 | 11 | 63642542773 | 52 |
| 07660700323 | 33 | 63642504615 | 40 | 63642506195 | 11 | 63642543112 | 56 |
| 07660700345 | 32 | 63642504616 | 40 | 63642506196 | 11 | 63642543421 | 56 |
| 07660700346 | 32 | 63642504617 | 40 | 63642506198 | 6 | 63642543422 | 56 |
| 07660700347 | 32 | 63642504625 | 40 | 63642506199 | 6 | 63642543423 | 56 |
| 07660700348 | 32 | 63642504628 | 43 | 63642506200 | 6 | 63642543425 | 56 |
| 07660700350 | 32 | 63642504632 | 43 | 63642506202 | 5 | 63642543463 | 56 |
| 07660700351 | 32 | 63642504647 | 40 | 63642506203 | 5 | 63642543704 | 56 |
| 07660700352 | 32 | 63642504663 | 6 | 63642506204 | 5 | 63642543712 | 56 |
| 07660700491 | 32 | 63642504671 | 42 | 63642506215 | 11 | 63642543832 | 19 |
| 07660700492 | 32 | 63642504672 | 42 | 63642506216 | 11 | 63642555106 | 22 |
| 07660700493 | 32 | 63642504673 | 42 | 63642506217 | 11 | 63642572012 | 44 |
| 07660700494 | 32 | 63642504674 | 42 | 63642506218 | 11 | 63642572014 | 44 |
| 07660700495 | 32 | 63642505457 | 56 | 63642506219 | 11 | 63642572018 | 44 |
| 07660700496 | 32 | 63642505459 | 19 | 63642506220 | 11 | 63642578000 | 45 |
| 07660700497 | 32 | 63642505460 | 19 | 63642506224 | 45 | 63642597116 | 18 |
| 07660700498 | 32 | 63642505620 | 51 | 63642506225 | 10 | 63642597120 | 41 |
| 07660700499 | 32 | 63642505621 | 51 | 63642506226 | 10 | 63642597121 | 41 |
| 07660700629 | 32 | 63642505622 | 51 | 63642506227 | 10 | 63642597500 | 4 |
| 07660700630 | 32 | 63642505920 | 47 | 63642506228 | 10 | 63642597501 | 4 |
| 07660700631 | 32 | 63642505921 | 47 | 63642506229 | 10 | 63642597502 | 4 |
| 07660700633 | 32 | 63642505922 | 47 | 63642506230 | 10 | 63642597503 | 4 |
| 07660701889 | 53 | 63642505923 | 47 | 63642506231 | 10 | 63642597504 | 4 |
| 07660703074 | 21 | 63642506002 | 5 | 63642506232 | 10 | 63642597505 | 4 |
| 07660703075 | 21 | 63642506013 | 17 | 63642506233 | 10 | 63642597506 | 4 |
| 07660703076 | 21 | 63642506014 | 17 | 63642506234 | 10 | 63642597507 | 4 |
| 07660703077 | 21 | 63642506015 | 17 | 63642506235 | 10 | 63642597508 | 4 |
| 07660703078 | 21 | 63642506020 | 17 | 63642506236 | 10 | 63642597509 | 4 |
| 07660705376 | 20 | 63642506021 | 17 | 63642506237 | 11 | 63642597510 | 4 |
| 07660719359 | 55 | 63642506022 | 17 | 63642506238 | 11 | 63642597511 | 4 |
| 07660749008 | 56 | 63642506113 | 6 | 63642506239 | 11 | 63642597512 | 4 |
| 07660782705 | 48 | 63642506114 | 6 | 63642506240 | 11 | 63642597513 | 4 |
| 07660782706 | 48 | 63642506117 | 6 | 63642506241 | 11 | 63642597514 | 4 |
| 07660782725 | 48 | 63642506118 | 6 | 63642506242 | 11 | 63642597515 | 4 |
| 07660782735 | 49 | 63642506119 | 6 | 63642506255 | 6 | 63642597516 | 4 |
| 07660782750 | 49 | 63642506120 | 6 | 63642506256 | 6 | 63642597517 | 4 |
| 07660782751 | 49 | 63642506121 | 6 | 63642506257 | 6 | 63642597519 | 4 |
| 07660782775 | 50 | 63642506122 | 6 | 63642506259 | 6 | 63642598650 | 51 |
| 07660782780 | 50 | 63642506123 | 6 | 63642506261 | 6 | 63642598651 | 51 |
| 07660782786 | 49 | 63642506124 | 6 | 63642506375 | 5 | 63642598652 | 51 |
| 07660789030 | 31 | 63642506127 | 55 | 63642506377 | 5 | 66243510630 | 31 |
| 07660789032 | 31 | 63642506128 | 17, 19, 56 | 63642506379 | 19 | 66243510655 | 31 |
| 07660789034 | 31 | 63642506130 | 17, 55 | 63642506380 | 19 | 66243510675 | 31 |
| 08834164922 | 26 | 63642506135 | 55 | 63642506381 | 19 | 66243510677 | 31 |
| 63634505457 | 16 | 63642506137 | 55 | 63642506398 | 41 | 66253371058 | 31 |
| 63634542089 | 16 | 63642506138 | 55 | 63642506402 | 41 | 66253371059 | 31 |
| 63642500402 | 45 | 63642506139 | 55 | 63642506412 | 39 | 66254435696 | 64 |
| 63642500403 | 45 | 63642506141 | 55 | 63642506418 | 39 | 66254444193 | 29 |
| 63642500404 | 45 | 63642506142 | 55 | 63642506421 | 39 | 66254447590 | 44 |
| 63642500407 | 45 | 63642506143 | 55 | 63642506427 | 39 | 66254447591 | 44 |
| 63642500904 | 53 | 63642506145 | 55 | 63642506727 | 46 | 66254447592 | 44 |
| 63642500906 | 53 | 63642506146 | 55 | 63642506728 | 46 | 66254447593 | 44 |
| 63642502161 | 56 | 63642506147 | 10 | 63642541396 | 43 | 66254450330 | 37 |
| 63642502162 | 56 | 63642506148 | 10 | 63642541398 | 43 | 66254464821 | 28 |
| 63642502517 | 56 | 63642506149 | 10 | 63642541399 | 43 | 66254470735 | 44 |
| 63642502999 | 20 | 63642506150 | 10 | 63642541400 | 43 | 66254470746 | 44 |
| 63642503009 | 20 | 63642506151 | 10 | 63642542077 | 19 | 66254480232 | 5 |
| 63642503029 | 56 | 63642506152 | 10 | 63642542078 | 19 | 66254480233 | 5 |
| 63642503030 | 56 | 63642506153 | 10 | 63642542079 | 19 | 66261009189 | 24 |
| 63642503344 | 46 | 63642506160 | 55 | 63642542080 | 19 | 66261009190 | 24 |
| 63642503345 | 46 | 63642506164 | 10 | 63642542082 | 18 | 66261009191 | 24 |
| 63642503656 | 27 | 63642506165 | 10 | 63642542089 | 56 | 66261009192 | 24 |
| 63642503657 | 27 | 63642506166 | 20 | 63642542090 | 53 | 66261009194 | 24 |
| 63642503658 | 27 | 63642506167 | 20 | 63642542091 | 53 | 66261009324 | 22 |
| 63642503659 | 27 | 63642506168 | 43 | 63642542092 | 53 | 66261009502 | 22 |
| 63642503660 | 27 | 63642506169 | 44 | 63642542093 | 53 | 66261017522 | 24 |
| 63642503723 | 46 | 63642506176 | 10 | 63642542094 | 53 | 66261040261 | 10 |
| 63642503726 | 53 | 63642506177 | 10 | 63642542095 | 53 | 66261041384 | 29 |
| 63642503727 | 53 | 63642506178 | 10 | 63642542724 | 54 | 66261055103 | 25 |

| PART # | PAGE |
|-------------|------|
| 66261055105 | 25 |
| 66261055309 | 29 |
| 66261055310 | 29 |
| 66261055311 | 29 |
| 66261058000 | 20 |
| 66261058001 | 20 |
| 66261058002 | 20 |
| 66261058005 | 20 |
| 66261113517 | 20 |
| 66261113519 | 20 |
| 66261121048 | 25 |
| 66261121049 | 25 |
| 66261121053 | 25 |
| 66261121054 | 25 |
| 66261123573 | 12 |
| 66261123574 | 12 |
| 66261123575 | 12 |
| 66261123576 | 12 |
| 66261123577 | 12 |
| 66261123578 | 12 |
| 66261123588 | 12 |
| 66261123589 | 12 |
| 66261123590 | 12 |
| 66261123591 | 12 |
| 66261123592 | 12 |
| 66261123593 | 12 |
| 66261123596 | 12 |
| 66261123598 | 12 |
| 66261123608 | 13 |
| 66261123609 | 13 |
| 66261123610 | 13 |
| 66261123614 | 13 |
| 66261123615 | 13 |
| 66261123616 | 13 |
| 66261123617 | 13 |
| 66261123618 | 13 |
| 66261123619 | 13 |
| 66261123620 | 13 |
| 66261123621 | 13 |
| 66261123622 | 13 |
| 66261125244 | 12 |
| 66261125307 | 12 |
| 66261125436 | 12 |
| 66261125444 | 12 |
| 66261125595 | 13 |
| 66261125684 | 12 |
| 66261126511 | 13 |
| 66261126512 | 13 |
| 66261126556 | 28 |
| 66261126557 | 28 |
| 66261126558 | 28 |
| 66261128688 | 8 |
| 66261131451 | 8 |
| 66261131452 | 8 |
| 66261131453 | 8 |
| 66261131454 | 8 |
| 66261131456 | 8 |
| 66261131457 | 8 |
| 66261131458 | 8 |
| 66261131459 | 8 |
| 66261131460 | 8 |
| 66261131461 | 8 |
| 66261131462 | 8 |
| 66261131463 | 8 |
| 66261131464 | 8 |
| 66261131465 | 8 |
| 66261131466 | 8 |
| 66261131467 | 8 |
| 66261131468 | 8 |
| 66261131469 | 8 |
| 66261131470 | 8 |

| PART # | PAGE |
|-------------|------|
| 66261131471 | 8 |
| 66261131473 | 8 |
| 66261131474 | 8 |
| 66261131475 | 8 |
| 66261131476 | 8 |
| 66261131477 | 8 |
| 66261131478 | 8 |
| 66261131479 | 8 |
| 66261131480 | 8 |
| 66261131481 | 8 |
| 66261131494 | 8 |
| 66261131507 | 8 |
| 66261131511 | 8 |
| 66261131515 | 8 |
| 66261131519 | 8 |
| 66261131521 | 8 |
| 66261131524 | 8 |
| 66261131526 | 8 |
| 66261131527 | 8 |
| 66261131528 | 8 |
| 66261131532 | 8 |
| 66261131533 | 8 |
| 66261131534 | 8 |
| 66261131535 | 8 |
| 66261131536 | 8 |
| 66261131537 | 8 |
| 66261131538 | 8 |
| 66261131539 | 8 |
| 66261131541 | 8 |
| 66261131543 | 8 |
| 66261131544 | 8 |
| 66261131545 | 8 |
| 66261131546 | 8 |
| 66261131547 | 8 |
| 66261131548 | 8 |
| 66261131549 | 8 |
| 66261131550 | 8 |
| 66261131551 | 8 |
| 66261131552 | 8 |
| 66261131553 | 8 |
| 66261131554 | 8 |
| 66261131555 | 8 |
| 66261131556 | 8 |
| 66261131558 | 8 |
| 66261131559 | 8 |
| 66261131560 | 8 |
| 66261131561 | 8 |
| 66261131562 | 8 |
| 66261131563 | 8 |
| 66261131564 | 8 |
| 66261131565 | 8 |
| 66261131566 | 8 |
| 66261131584 | 7 |
| 66261131586 | 7 |
| 66261131587 | 7 |
| 66261131588 | 7 |
| 66261131590 | 7 |
| 66261131592 | 7 |
| 66261131594 | 7 |
| 66261131595 | 7 |
| 66261131596 | 7 |
| 66261131597 | 7 |
| 66261131598 | 7 |
| 66261131599 | 7 |
| 66261131600 | 7 |
| 66261131609 | 8 |
| 66261131612 | 8 |
| 66261131613 | 8 |
| 66261131614 | 8 |
| 66261131615 | 8 |
| 66261131617 | 8 |

| PART # | PAGE |
|-------------|------|
| 66261131618 | 9 |
| 66261131619 | 9 |
| 66261131620 | 9 |
| 66261131621 | 9 |
| 66261131622 | 9 |
| 66261131623 | 9 |
| 66261131624 | 9 |
| 66261131626 | 9 |
| 66261131627 | 9 |
| 66261131628 | 9 |
| 66261131629 | 9 |
| 66261131630 | 9 |
| 66261131631 | 9 |
| 66261131632 | 9 |
| 66261131633 | 9 |
| 66261131634 | 9 |
| 66261131635 | 9 |
| 66261131636 | 9 |
| 66261131637 | 9 |
| 66261131638 | 9 |
| 66261131639 | 9 |
| 66261131640 | 9 |
| 66261131641 | 9 |
| 66261131642 | 9 |
| 66261131643 | 9 |
| 66261131644 | 9 |
| 66261131645 | 9 |
| 66261131646 | 9 |
| 66261131647 | 9 |
| 66261131648 | 9 |
| 66261131649 | 9 |
| 66261131650 | 9 |
| 66261131651 | 9 |
| 66261131652 | 9 |
| 66261131661 | 8 |
| 66261131662 | 8 |
| 66261131663 | 8 |
| 66261131664 | 8 |
| 66261131679 | 9 |
| 66261131681 | 9 |
| 66261131683 | 9 |
| 66261131685 | 9 |
| 66261131686 | 9 |
| 66261131687 | 9 |
| 66261131688 | 9 |
| 66261131689 | 9 |
| 66261131690 | 9 |
| 66261131691 | 9 |
| 66261133296 | 9 |
| 66261135900 | 8 |
| 66261136995 | 8 |
| 66261136996 | 8 |
| 66261138561 | 28 |
| 66261138562 | 28 |
| 66261138563 | 28 |
| 66261138582 | 28 |
| 66261138583 | 28 |
| 66261138584 | 28 |
| 66261138590 | 28 |
| 66261138591 | 28 |
| 66261138592 | 28 |
| 66261138593 | 28 |
| 66261138594 | 28 |
| 66261138600 | 28 |
| 66261138601 | 28 |
| 66261138670 | 25 |
| 66261138671 | 25 |
| 66261138672 | 25 |
| 66261138673 | 25 |
| 66261138674 | 25 |
| 66261138675 | 25 |

| PART # | PAGE |
|-------------|------|
| 66261139369 | 14 |
| 66261139370 | 14 |
| 66261139371 | 14 |
| 66261139372 | 14 |
| 66261139373 | 14 |
| 66261139374 | 14 |
| 66261139375 | 14 |
| 66261139377 | 14 |
| 66261139378 | 14 |
| 66261139379 | 14 |
| 66261139380 | 14 |
| 66261139381 | 14 |
| 66261139382 | 14 |
| 66261139383 | 14 |
| 66261139384 | 14 |
| 66261139385 | 14 |
| 66261139386 | 14 |
| 66261139388 | 14 |
| 66261139389 | 14 |
| 66261140385 | 8 |
| 66261140498 | 6 |
| 66261140502 | 6 |
| 66261140508 | 6 |
| 66261140509 | 6 |
| 66261140510 | 6 |
| 66261140511 | 6 |
| 66261140512 | 6 |
| 66261140518 | 5 |
| 66261140519 | 5 |
| 66261140520 | 5 |
| 66261140521 | 5 |
| 66261140522 | 5 |
| 66261140528 | 5 |
| 66261140529 | 5 |
| 66261140530 | 5 |
| 66261140531 | 5 |
| 66261140532 | 5 |
| 66261142474 | 6 |
| 66261147432 | 14 |
| 66261147433 | 14 |
| 66261147434 | 8 |
| 66261148340 | 6 |
| 66261149537 | 5 |
| 66261149538 | 5 |
| 66261149540 | 5 |
| 66261149541 | 5 |
| 66261149542 | 5 |
| 66261149543 | 5 |
| 66261149545 | 5 |
| 66261149546 | 5 |
| 66261149557 | 6 |
| 66261149558 | 6 |
| 66261149561 | 6 |
| 66261149562 | 6 |
| 66261149563 | 6 |
| 66261149564 | 6 |
| 66261149566 | 6 |
| 66261150076 | 37 |
| 66261152692 | 9 |
| 66261155373 | 6 |
| 66261155374 | 6 |
| 66261155376 | 6 |
| 66261156064 | 6 |
| 66261156065 | 6 |
| 66261156066 | 6 |
| 66261156067 | 6 |
| 66261156070 | 6 |
| 66261156071 | 6 |
| 66261158547 | 30 |
| 66261158548 | 30 |
| 66261158549 | 30 |

| PART # | PAGE |
|-------------|------|
| 66261158550 | 30 |
| 66261158552 | 30 |
| 66261158555 | 30 |
| 66261158558 | 30 |
| 66261158561 | 30 |
| 66261158565 | 30 |
| 66261158576 | 30 |
| 66261158577 | 30 |
| 66261158578 | 30 |
| 66261158579 | 30 |
| 66261158580 | 30 |
| 66261158581 | 30 |
| 66261158582 | 30 |
| 66261158583 | 30 |
| 66261158584 | 30 |
| 66261158585 | 30 |
| 66261158586 | 30 |
| 66261162318 | 25 |
| 66261162320 | 25 |
| 66261162322 | 25 |
| 66261162324 | 25 |
| 66261162328 | 25 |
| 66261162330 | 25 |
| 66261162332 | 25 |
| 66261162334 | 25 |
| 66261181412 | 12 |
| 66261183806 | 10 |
| 66261183807 | 10 |
| 66261183808 | 10 |
| 66261183809 | 10 |
| 66261183810 | 10 |
| 66261183811 | 10 |
| 66261183813 | 10 |
| 66261183814 | 10 |
| 66261183815 | 10 |
| 66261183816 | 10 |
| 66261183817 | 10 |
| 66261183818 | 10 |
| 66261183819 | 10 |
| 66261183820 | 10 |
| 66261183821 | 10 |
| 66261183822 | 10 |
| 66261183823 | 10 |
| 66261183824 | 10 |
| 66261183825 | 10 |
| 66261183826 | 10 |
| 66261183827 | 10 |
| 66261183828 | 10 |
| 66261183829 | 10 |
| 66261183830 | 10 |
| 66261183831 | 10 |
| 66261183832 | 10 |
| 66623305616 | 5 |
| 66623329518 | 6 |
| 66623329547 | 6 |
| 66623329548 | 6 |
| 66623331051 | 22 |
| 66623331053 | 22 |
| 66623331054 | 22 |
| 66623334770 | 20 |
| 66623334771 | 20 |
| 66623334772 | 50 |
| 66623334782 | 23 |
| 66623334783 | 23 |
| 66623334785 | 11 |
| 66623334786 | 10 |
| 66623334787 | 10 |
| 66623334788 | 10 |
| 66623334790 | 10 |

| PART # | PAGE |
|--------------|--------|
| 66623334791 | 10 |
| 66623334793 | 10 |
| 66623334794 | 10 |
| 66623334796 | 10 |
| 66623334797 | 10 |
| 66623334800 | 11 |
| 66623334801 | 11 |
| 66623334802 | 11 |
| 66623334803 | 11 |
| 66623334804 | 11 |
| 66623334805 | 11 |
| 66623335417 | 24 |
| 66623335430 | 24 |
| 66623335437 | 24 |
| 66623338632 | 23 |
| 66623338633 | 23 |
| 666233355103 | 22 |
| 666233355105 | 22 |
| 666233357606 | 21 |
| 666233357608 | 21 |
| 666233357611 | 21 |
| 666233357612 | 21 |
| 666233357613 | 21 |
| 666233357616 | 21 |
| 666233374818 | 27 |
| 666233374819 | 27 |
| 666233374824 | 27 |
| 666233390500 | 24 |
| 666233390501 | 24 |
| 666233390502 | 24 |
| 666233390503 | 7 |
| 666233390504 | 7 |
| 666233390505 | 7 |
| 666233390506 | 7 |
| 666233390507 | 7 |
| 666233390509 | 7 |
| 666233390510 | 7 |
| 666233390511 | 7 |
| 666233390512 | 7 |
| 666233390513 | 7 |
| 666233390514 | 7 |
| 666233390517 | 7 |
| 666233390518 | 7 |
| 666233390519 | 7 |
| 666233390520 | 7 |
| 666233390521 | 7 |
| 666233390522 | 7 |
| 666233390523 | 7 |
| 666233390550 | 15 |
| 666233390551 | 15 |
| 666233390552 | 15 |
| 666233390554 | 15 |
| 666233390555 | 15 |
| 666233390556 | 15 |
| 666233390557 | 15 |
| 666233390558 | 15 |
| 666233390559 | 15 |
| 666233390561 | 15 |
| 666233390562 | 15 |
| 666233390563 | 15 |
| 666233390564 | 15 |
| 666233390600 | 65 |
| 666233390601 | 65 |
| 666233390960 | 68, 70 |
| 666233390961 | 72-73 |
| 666233390962 | 68, 70 |
| 666233390963 | 68-69 |
| 666233390964 | 68, 70 |
| 666233390965 | 71 |

| PART # | PAGE |
|--------------|--------|
| 666233390966 | 68, 71 |
| 666233390967 | 68, 70 |
| 666233390969 | 66-67 |
| 666233390970 | 66-67 |
| 666233390971 | 72, 75 |
| 666233390972 | 72, 74 |
| 666233390973 | 72 |
| 666233390974 | 72-73 |
| 666233390975 | 68, 71 |
| 666233390976 | 68-69 |
| 666233390977 | 72, 75 |
| 666233390978 | 66 |
| 666233390979 | 72-73 |
| 666233390980 | 68-69 |
| 666233390981 | 68 |
| 666233390982 | 66-67 |
| 666233390983 | 66-67 |
| 666233390984 | 72-73 |
| 666233390985 | 72, 74 |
| 666233390987 | 77 |
| 666233390988 | 77 |
| 666233390990 | 78 |
| 666233390996 | 72, 74 |
| 666233391000 | 60 |
| 666233391007 | 60 |
| 666233391008 | 58 |
| 666233391009 | 61 |
| 666233391010 | 60 |
| 666233391011 | 59 |
| 666233391012 | 59 |
| 666233391013 | 58 |
| 666233391014 | 58 |
| 666233391015 | 58 |
| 666233391016 | 58 |
| 666233391017 | 58 |
| 666233391018 | 58 |
| 666233391019 | 58 |
| 666233391022 | 59 |
| 666233391023 | 59 |
| 666233391025 | 58 |
| 666233391026 | 58 |
| 666233391027 | 58 |
| 666233391028 | 58 |
| 666233391029 | 59 |
| 666233391030 | 59 |
| 666233391100 | 62 |
| 666233391102 | 63 |
| 666233391103 | 62 |
| 666233391104 | 62 |
| 666233391105 | 63 |
| 666233391106 | 63 |
| 666233391306 | 64 |
| 666233391307 | 64 |
| 666233391308 | 64 |
| 666233391309 | 64 |
| 666233391310 | 64 |
| 666233391311 | 64 |
| 666233391312 | 64 |
| 666233391313 | 64 |
| 666233391314 | 64 |
| 666233391315 | 64 |
| 666233391316 | 64 |
| 666233391318 | 64 |
| 666233391319 | 64 |
| 666233391320 | 64 |
| 666233391321 | 64 |
| 666233391330 | 64 |
| 666233391331 | 57 |
| 666233391332 | 57 |

| PART # | PAGE |
|--------------|--------|
| 666233391333 | 57 |
| 666233391334 | 57 |
| 666233391377 | 37 |
| 666233391380 | 57 |
| 666233391381 | 36, 57 |
| 666233391382 | 36, 57 |
| 666233391383 | 36, 57 |
| 666233391384 | 36, 57 |
| 666233391496 | 65 |
| 666233391497 | 65 |
| 69957306675 | 35-36 |
| 69957308899 | 4 |
| 69957308900 | 4 |
| 69957308901 | 4 |
| 69957308902 | 4 |
| 69957308903 | 4 |
| 69957312400 | 34 |
| 69957312633 | 36 |
| 69957312636 | 36 |
| 69957312637 | 36 |
| 69957312638 | 36 |
| 69957312640 | 36 |
| 69957312641 | 36 |
| 69957312645 | 35 |
| 69957312646 | 36 |
| 69957312647 | 36 |
| 69957345325 | 36 |
| 69957345336 | 36 |
| 69957345337 | 36 |
| 69957345359 | 29 |
| 69957350990 | 10 |
| 69957365500 | 4 |
| 69957366126 | 36 |
| 69957382154 | 37 |
| 69957392150 | 29 |
| 69957398005 | 28 |
| 69957398007 | 28 |
| 69957398009 | 28 |
| 69957398010 | 28 |
| 69957398012 | 28 |
| 69957398014 | 28 |
| 69957398021 | 29 |
| 69957398022 | 29 |
| 69957398023 | 29 |
| 77696007745 | 5 |
| 77696007753 | 5 |
| 77696007755 | 5 |
| 77696007756 | 5 |
| 77696007757 | 5 |
| 77696007763 | 5 |
| 77696007765 | 5 |
| 77696007768 | 5 |
| 77696007770 | 5 |
| 77696007773 | 5 |
| 77696007774 | 5 |
| 77696007775 | 5 |
| 77696007776 | 5 |
| 77696007777 | 5 |
| 77696007778 | 5 |
| 77696007781 | 5 |
| 77696007784 | 5 |
| 77696007785 | 5 |
| 77696007786 | 5 |
| 77696007787 | 5 |
| 77696007788 | 5 |
| 77696007791 | 5 |
| 77696007793 | 5 |
| 77696007795 | 5 |
| 77696030000 | 4 |

| PART # | PAGE |
|-------------|------|
| 77696030001 | 4 |
| 77696069243 | 29 |
| 77696069244 | 29 |
| 77696069245 | 29 |
| 77696069246 | 29 |
| 77696075500 | 20 |
| 77696075502 | 20 |
| 77696088701 | 16 |
| 77696088702 | 16 |
| 77696088703 | 16 |
| 77696088704 | 16 |
| 77696088713 | 16 |
| 77696088714 | 16 |
| 77696088715 | 16 |
| 77696088716 | 16 |
| 77696090145 | 26 |
| 77696090146 | 26 |
| 77696090147 | 26 |
| 77696090148 | 26 |
| 77696090149 | 26 |

| PART # | PAGE |
|-------------|------|
| 77696090150 | 26 |
| 77696090151 | 26 |
| 77696090152 | 26 |
| 77696090153 | 26 |
| 77696090154 | 26 |
| 77696095005 | 5 |
| 77696095006 | 5 |
| 77696095007 | 5 |
| 77696095008 | 5 |
| 77696095009 | 5 |
| 77696095010 | 5 |
| 77696095011 | 5 |
| 77696095012 | 5 |
| 77696095013 | 5 |
| 77696095014 | 5 |
| 77696095015 | 5 |
| 77696095016 | 5 |
| 77696098087 | 20 |
| 78072712633 | 10 |
| 78072728569 | 29 |

| PART # | PAGE |
|-------------|--------|
| 78072736062 | 29 |
| 78072740295 | 29 |
| 78072742353 | 15 |
| 78072742355 | 15 |
| 78072743401 | 28 |
| 78072743402 | 28 |
| 78072748553 | 10 |
| 78072753469 | 10 |
| 78072753546 | 10 |
| 78072766935 | 65 |
| 78072775490 | 35 |
| 78072775493 | 37 |
| 78072775494 | 37 |
| 78072775495 | 62 |
| 80849810001 | 68, 70 |
| 80849810002 | 72, 74 |
| 80849810003 | 72, 74 |
| 80849810004 | 72, 74 |
| 80849810006 | 66-67 |
| 80849810007 | 66 |

| PART # | PAGE |
|-------------|--------|
| 80849810009 | 72, 74 |
| 80849810011 | 72, 75 |
| 80849810015 | 68, 70 |
| 80849810019 | 77 |
| 80849810023 | 76 |
| 80849810025 | 76 |
| 80849810026 | 76 |
| 80849810027 | 77 |
| 80849810030 | 68-69 |
| 80849810037 | 72 |
| 80849810038 | 68 |
| 80849810076 | 78 |
| 80849810111 | 77 |
| 80849810121 | 76 |
| 80849810130 | 78 |
| 80849810146 | 78 |
| 80849810169 | 68 |
| 80849810170 | 72, 74 |
| 80849810171 | 72, 74 |





DRIVING THE COLLISION REPAIR INDUSTRY FORWARD

Norton | Saint-Gobain is proud to be a Sustaining Partner of I-CAR. As a Sustaining Partner, we support I-CAR's vision and mission of delivering the latest repair knowledge and training to every collision repair technician. We believe in doing the right thing for the industry by helping deliver complete, safe and quality repairs to the ultimate benefit of our families, friends and neighbors.

DOING THE RIGHT THING FOR THE INDUSTRY AND THE CONSUMER

REDUCING TRAINING COSTS AND INCREASING TRAINING OPPORTUNITIES

As a Sustaining Partner, we help lower training costs and provide training courses encouraging shops to continue, or even increase, training to stay current with today's complex vehicles.

REDUCING SCHOOL FEES

As a Sustaining Partner, we provide financial support to allow more vocational schools to run programs that develop better trained entry level technicians.

PROVIDING SAFE REPAIRS

As a Sustaining Partner, we provide resources to help I-CAR develop and deliver the training and services needed for safe repairs.

See more here: www.I-CAR.com/SustainingPartners/Saint-Gobain





Visit Norton Abrasives on YouTube, which houses lots of collision repair Standard Operating Procedure videos to educate technicians on our and partner products and procedures to optimize shop processes for a total refinishing solution. With an ever expanding list of videos there is something for everyone, whether you are new to the industry or a seasoned technician.



<https://nortonsga.us/hhsy9j>

TRADEMARKS

Norton, "Quality that Pays", "Transforming Surfaces and Beyond", A2750P, Bear-Tex, BlackIce, Blaze, BlueFire, DryIce, Gold Reserve, Liquid Ice, Multi-Air Cyclonic, PureIce, Rapid Blend, Rapid Prep, Rapid Strip, Refinish Solutions Group, Red Heat, REVvive by RSG, SoftTouch, Speed Grip, Speed-Lok, Thin-Flex, VAC RACK, and Vortex are trademarks of Saint-Gobain Abrasives.

Farécla and Solar Gard are trademarks of Saint-Gobain.
Fusor is a registered trademark of Parker LORD Corporation.

Vehicle images provided courtesy of Ford® Motor Company.

All trademarks and logos are property of their respective holders and used by consent.

NORTON

SAINT-GOBAIN

AUTOMOTIVE AFTERMARKET REFINISHING PRODUCTS



TAKE NORTON FOR A TEST DRIVE

Norton is 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Norton products in your shop when it's convenient for you. Simply let your Norton salesperson know when you'd like to test Norton in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Norton products at no cost in "real world" conditions. You're the final judge of performance.

At the end of the day, the Norton salesperson will review the results, provide you with potential cost savings and convert the shop to Norton products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. If you'd like to take a test drive please email norton.automotive@saint-gobain.com



www.facebook.com/NortonAbrasivesNA | www.instagram.com/NortonAbrasivesNA
www.youtube.com/NortonAbrasives | www.nortonabrasives.com

CUSTOMER SERVICE:

USA Toll Free: 1 (800) 456-8444
CAN Toll Free: 1 (800) 263-6565
Toll Free Fax: 1 (888) 383-2249

EMAIL US:

norton.automotive@saint-gobain.com

FORM #330 REV. 01/25 © Saint-Gobain January 2025.

Norton and "Transforming Surfaces and Beyond" are trademarks of Saint-Gobain Abrasives. All other trademarks are the property of their respective owners.



✓ NO-RISK TEST

